



















Volkswagen To

Engine Crankcase 10

Tool Number	Application	Models	
207C	PISTON PIN DRIFT Remove and install of piston pin and clutch pilot bearing.	Audi - 4000 Coupe, Quattro, 5000 1984>	
3204	BELT TENSIONER LOCK PIN See #T10060.	Audi - AAH, AFC, AAN, APB, ART, AWN, BBD	
3299 11	RIBBED BELT INSTALLER Removes and installs ribbed V-belts on the generator.	Audi - AVK	
407	PUNCH Press punch for various transmission and axle operations.	Audi - All	
409 2	PUNCH Press punch for various transmission, engine and axle operations.	Audi - All	
457 1	SUPPORT CHANNELS Multiple press operations.	Audi - All	
10-222A 5	ENGINE SUPPORT BRIDGE Suspends engine during removal of transmission. Use with 2024A for later models. Use #VAG3033 for engines ART, AWN and BBD and #10-222A/3 for VR6.	VW, Audi - All	
540	ENGINE HOLDING FIXTURE Mounts engine and transmission to stand #313.	AAH, AFC, AAN, APB, AHA, ATQ, AVK, ART, AWN, BBD	
10-222A/1	REPLACEMENT FEET Adapter Legs for Late Models	VW - VR6	










Volkswagen To

Engine Crankcase 10

Tool Number	Application	Models	
3369 21	LOCK CARRIER PINS Used when removing/installing lock carrier on hood when adjusting belts or servicing cylinder head 2	ALL	
10-222A/3 1	ENGINE SUPPORT BRIDGE ADAPTER (2) VR6 Special feet for VR6 engines. 3	VW - VR6	
3269	ENGINE SUPPORT Holds the VR6 engine when assembling or disassembling. Use with engine holding clamp 313 (below). 3	VR6 Engines	
2024A	ENGINE SLING Use with 10-222A or engine hoist to hold engine when transmission is removed. Replaces 1105. 4	Audi - All, except 6 cylinder, AEB, ATW, AUG, AWM VW - All	
313 7	ENGINE/TRANSMISSION BENCH CLAMP Holding clamp for all engine and transmission holders. See holding yokes #540, #309 and #3269. 6	VW, Audi - All	
3147	ENGINE SUPPORT ADAPTER Use with 10-222A to support transmission when engine is removed. 7	VW - Dasher, Quantum, AEB, ATW, AUG, AWM Audi - All from 1987 to present	
3227	ENGINE BRACKET Use when removing or installing the 5 cylinder engines found in Eurovan. Use with #3184 when removing transmission (02b). 7	VW - T4 Eurovan 5 Cyl.	
540	ENGINE HOLDING FIXTURE Mounts engine and transmission to stand 313 (below). 7	All	
3180	RETAINER Use with 10-222A Pg. (11) when removing or installing gearbox on 16 valve engines. 9	VW - Golf, Jetta, Scirocco 16 Valve engines	










Volkswagen To

Engine Crankcase 10

Tool Number	Application	Models	
3302	ENGINE MOUNT PEENING PUNCH SET Peens rubber engine mount bushings.	Golf, Jetta, 1992>	
3184	ENGINE SUPPORT Supports engine when transmission is removed.	VW - T4 Eurovan	
3091 3	PISTON 'WRIST' PIN PULLER Expanding puller for piston pins. Use with #3090, #3159 and #3092.	Vanagon Waterbox	
3278 9	PISTON INSTALLATION SLEEVE Installs pistons on VR6 engines	VR6 Engine	
3092	PISTON SLEEVE PULLER Use with slide hammer to remove rusted on piston cylinder sleeves. Use with #3090, #3091 and #3150.	Vanagon Waterbox	
3159	PISTON PIN REAMER Removes burr formed by piston pin circlip. Use with #3090, #3091 and #3092.	VW - Vanagon Waterbox	
3090 2	CONNECTING ROD SUPPORT Holds up connecting rod to facilitate installation of piston pins. Use with 3091 Pg. (11), 3159 Pg (11) and 3092 Pg. (11).	Vanagon Waterbox	
207C	PISTON PIN DRIFT Remove and install of piston pin and clutch pilot bearing.	Fox, Quantum	
207	PISTON PIN DRIFT Removes and installs piston (wrist) pin and gear shift shaft.	Rabbit, Jetta, GTI, Pickup, Fox, Scirocco 1984<, Vanagon	


Volkswagen To

Engine Crankcase 10

Tool Number	Application	Models	
H794U-3	PISTON RING COMPRESSOR 70mm - 110mm RANGE Use to compress piston rings when installing pistons into engine case. 35	VW, Audi - All	
1106 1	LEAKDOWN CYLINDER PRESSURE TESTER Check cylinder leakage rate to detect worn or broken rings, gaskets, cylinders and valves. Kit includes: Heavy duty gauges, hose and 10mm and 14mm spark plug port adapters. 45	VW, Audi - All	
B100L	ENGINE MOUNT BUSHING REPLACEMENT KIT - LARGE MOUNT R&R side engine mounts on all transverse mount VW. Includes press tools for all 75mm bonded rubber bushings. 1982-94 50	VW - Rabbit, Jetta, GTI, Golf	
B100S	ENGINE MOUNT BUSHING REPLACEMENT KIT - SMALL MOUNT R&R side engine mounts on all transverse mount VW. Includes press tools for all bonded rubber bushings on pre 1981 vehicles. 51	VW - Rabbit, Jetta, GTI	
3058	ENGINE SUPPORT Use to remove and install Vanagon engines, except synchro. 100	Vanagon	
407	PUNCH Press punch for various transmission and axle operations. 100	All	
409 2	PUNCH Press punch for various transmission, engine and axle operations. 100	All	
457 1	SUPPORT CHANNELS Multiple press operations. 100	All	
612/5	ENGINE SUPPORT PLATE Use with jack to remove engine and transmission. 200	VW - Vanagon	

Volkswagen To

Engine Crankcase

Tool Number	Application	Models	
617	DRIVE TRAIN SUPPORT For R&R of subframe with engine transmission and axle.	Audi - 4000 VW - Dasher	

800-848-6657 Toll Free
941-927-1414 Intl'
941-927-1612 Fax



www.baumtools.com
sales@baumtools.com