








ergonomic ✓

innovative ✓


safe ✓

	Slotted	PH	PZ	Torx	Torx TR	Hexagon Head	Ballpoint	Nutdriver	Square	XZN	TRI-WING	TORQ-SET	Five Star	Modul PH	Modul PZ
															
MAXXPRO® 	8	8	9	9	10		10	11	10		10				
MAXXPRO^{plus} 	16	16	17	17	18		18	18	18						
MAXXPRO^{VDE} 	22	22	22	23				23						22	22
PROTOP® 	26	26	27	27	28			28	28						
PROTOP^{plus} 	32	32	33	33	33			33							
PROTOP^{VDE} 	36	36	36												
TOPLUS® 	39	39	40	40	41										
TRIAx® 	44	44	44	45				45							
HOLZ 	48	48	48												
VSM 	50	50	50												
KLEMMFIX 	51	51	51	51											
PROTOP® 				53		53		54		54					
WITTRON® 	57	57	57	57		57	58	58							

	Slotted	PH	PZ	Torx	Torx TR	Hexagon Head	Ballpoint	Nutdriver	Square	XZN	TRI-WING	TORQ-SET	Five Star	Modul PH	Modul PZ
															
WITTRON[®] VDE 	60	60		60											
ESD 	62	62		62				63							
Miscellaneous Tools 	64														
Picks & Hooks 	65														
Offset Screwdriver 	66	66		67		66	67			67					
BITS 	79	76	77	80	81	81	82	82	82	82	83	83	81	82	82
Bit Holder for power tools 	84														
BITDRIVE 	86														
COMBIT-BOX 	89														
PROBIT-BOX 	92														
BITCAS 	94														



Displays for screwdrivers 70-73



Displays for bits 95-98

Kirchhoff group

Witte Werkzeuge is the origin of the world-wide renowned Kirchhoff group. Being a global player, we employ more than 3,000 people on our production and cooperation sites in 10 European countries, the USA, Canada, Mexico and Brazil.

The values of the Kirchhoff group, which has been in the propriety of the family Kirchhoff for four generations, are clearly defined, i.e. global thinking, regional acting and the consequent claim to develop products that are oriented on the market and to maximise

their potential constantly. In this family business, which is rich in traditions, dynamism, innovation and modernism go along with responsibility, confidence and safety. Thus, the Kirchhoff group wants to benefit its customers by being a competent partner in the long term whilst guaranteeing them maximum benefits - and this in the three forward looking sectors - tools, automotive and environmental technology.

WITTE WERKZEUGE

Witte Werkzeuge can look back to more than 200 years of experience and nowadays is one of the most important manufacturers of screw-driving tools on the international market. This success is based upon innovative developments, product security and quality. Witte tools stand up to the highest demands. They are ergonomically advanced and enable tireless and precise working.



KIRCHHOFF AUTOMOTIVE

Kirchhoff, being a development supplier, is also a partner to basic equipment suppliers for cars and trucks, of system suppliers and of companies in the non-automotive sectors. With the sites of the automotive industry having a strategic importance, structural parts in the main techniques such as transformation, welding, assembling and surface treatment are produced with the help of computer technology. In addition to this, Kirchhoff is equipped with modern construction departments for the construction of prototypes and tool manufacturing.



FAUN UMWELTTECHNIK

FAUN Umwelttechnik has maintained successfully for years its position as the European market leader in the sector of mobile waste disposal technology. Every day the modern vehicles for waste collection, road sweeping and wet cleaning, contribute to a safe disposal and economical recycling and thus to a cleaner environment.

The new generation.

Four different handle sizes, four different shapes - MAXXPRO - being the first screwdriver line to take design in completely new ways. The handles are not scaled sizes, but are designed individually in outline, gravity centre and form. The principle hereby is to produce as much ergonomics as possible with as much ability to transfer force as necessary. The smaller the handle, the more rounded its shape, this in order to enable the fast, sensitive turning. The bigger the handle, the more edged its shape is in order to enable and optimize the ability to transfer force. The three handle materials, plus that of the blade, have been well chosen, and have been combined exactly - to give a comfortable and effective working tool.


MAXXPRO is based on scientific research and developments, including, for instance, the results of a research report undertaken by a German university on ergonomics which was carried out by their Head of

Department. The result was unique and one which we can be justifiably proud of.

- The proven triangle shape corresponds exactly to the ideal turning angle of the hand (120 °)
- Matt chromium plated blades which are permanently etched and made of the finest high alloy special steel wire in all profiles
- Black blade tips for an optimized precision
- An impact absorbing core
- A fast turning zone and anti-slip protection in soft plastics
- Practical bolster hole for storage in the workshop
- Exceptional anti-slip resistance due to the triangle shaped handle
- Available as MAXXPRO, MAXXPRO VDE and MAXXPRO PLUS - for use in wet or oily conditions.

maximum ergonomics

As much ergonomics as possible with as much ability to transfer force as necessary.



maximum torque

MAXXPRO®




WITTE
WERKZEUGE

The perfectionist.

The one who has the highest demands needs a tool without making any compromise: MAXXPRO. The curved longitudinal outline of the ergonomic handles enables extremely high axial forces with very little effort. That is how a high application force is developed which effectively avoids the annoying slipping out of the screw, i.e. the so called Cam Out effect. The soft component on the edges provides a comfortable grip and enables the production of a maximum torque.

- The proven triangle shape corresponds exactly to the ideal turning angle of the hand (120 °)
- Fast turning zone of soft material makes work comfortable and safe
- Matt chromium-plated blades which are permanently etched and made of the finest high alloy special steel wire in all profiles
- Black blade tips for optimal precision



**practical
hanging hole**

soft components

**finest high alloy
special steel**


**multifunctional
zone**

**movement
prevention**

**permanently marked
blades**

53100 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
53101	0,6 x 3,5	75	3,5	103 x 23	53107	1,2 x 6,5	125	6,0	117 x 37
53102	0,6 x 3,5	100	3,5	103 x 23	53108	1,2 x 6,5	150	6,0	117 x 37
53103	0,8 x 4,0	75	4,0	103 x 23	53109	1,2 x 8,0	150	7,0	127 x 39
53104	0,8 x 4,0	100	4,0	103 x 23	53110	1,6 x 8,0	175	7,0	127 x 39
53105	1,0 x 5,5	100	5,0	107 x 32	53111	1,6 x 10,0	200	8,0	127 x 39
53106	1,0 x 5,5	125	5,0	107 x 32					

53010 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon to DIN 475 standards



art.-no.	 mm	 mm		 mm	 mm	art.-no.	 mm	 mm		 mm	 mm
53011	1,0 x 5,5	100	8	5,5	107 x 32	53013	1,2 x 8,0	150	13	8,0	127 x 39
53012	1,2 x 6,5	125	10	6,0	117 x 37	53014	1,6 x 10,0	175	13	8,0	127 x 39

53020 Electrician's Screwdriver


To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
53021	0,5 x 3,0	75	3,0	103 x 23	53025	1,0 x 5,5	150	5,5	107 x 32
53022	0,6 x 3,5	100	3,5	103 x 23	53026	1,0 x 5,5	200	5,5	107 x 32
53023	0,6 x 4,0	300	4,0	103 x 23	53027	1,0 x 5,5	300	5,5	107 x 32
53024	0,8 x 4,0	125	4,0	103 x 23					

53030 Phillips Screwdriver


To ISO 8764 for PHILLIPS-RECESS screws



									
art.-no.		mm	mm	mm	art.-no.		mm	mm	mm
53031	PH 0	60	3,0	103 x 23	53037	PH 2	300	6,0	117 x 37
53032	PH 1	80	4,5	107 x 32	53038	PH 3	150	8,0	127 x 39
53034	PH 1	300	4,5	107 x 32	53039	PH 4	200	10,0	127 x 39
53035	PH 2	100	6,0	117 x 37					

53500 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon to DIN 475 standards



art.-no.		 mm		 mm	art.-no.		 mm		 mm
53501	PH 1	80	6	4,5 107 x 32	53503	PH 3	150	13	8,0 127 x 39
53502	PH 2	100	10	6,0 117 x 37					

53040 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.		 mm	 mm	 mm	art.-no.		 mm	 mm	 mm
53041	PZ 0	60	3,0	103 x 23	53047	PZ 2	300	6,0	117 x 37
53042	PZ 1	80	4,5	107 x 32	53048	PZ 3	150	8,0	127 x 39
53044	PZ 1	300	4,5	107 x 32	53049	PZ 4	200	10,0	127 x 39
53045	PZ 2	100	6,0	117 x 37					

53600 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, with hexagon to DIN 475 standards



art.-no.		 mm		 mm	 mm	art.-no.		 mm		 mm	 mm
53601	PZ 1	80	6	4,5	107 x 32	53603	PZ 3	150	13	8,0	127 x 39
53602	PZ 2	100	10	6,0	117 x 37						


53200 Torx Screwdriver



art.-no.		 mm	 mm	 mm		art.-no.		 mm	 mm	 mm	
53201	T 5	60	3,0	103 x 23	M 1,6-2,0	53208	T 20	100	4,5	107 x 32	M 4
53202	T 6	60	3,0	103 x 23	M 1,6-2,0	53209	T 25	100	4,5	107 x 32	M 5
53203	T 7	60	3,0	103 x 23	M 1,6-2,0	53210	T 27	115	6,0	117 x 37	M 5
53204	T 8	60	3,0	103 x 23	M 2,5	53211	T 30	115	6,0	117 x 37	M 6
53205	T 9	60	3,0	103 x 23	M 3	53212	T 40	115	7,0	127 x 39	M 8
53206	T 10	80	3,5	103 x 23	M 3	53213	T 45	130	8,0	127 x 39	M 8-10
53207	T 15	80	3,5	103 x 23	M 3,5						


53300 Torx Screwdriver

Tamper proof for resistant TORX screws



art.-no.		 mm	 mm	 mm		art.-no.		 mm	 mm	 mm	
53303	T 7 TR	60	3,0	103 x 23	M 1,6-2,0	53309	T 25 TR	100	4,5	107 x 32	M 5
53304	T 8 TR	60	3,0	103 x 23	M 2,5	53310	T 27 TR	115	6,0	117 x 37	M 5
53305	T 9 TR	60	3,0	103 x 23	M 3	53311	T 30 TR	115	6,0	117 x 37	M 6
53306	T 10 TR	80	3,5	103 x 23	M 3	53312	T 40 TR	115	7,0	127 x 39	M 8
53307	T 15 TR	80	3,5	103 x 23	M 3,5	53313	T 45 TR	130	8,0	127 x 39	M 8-10
53308	T 20 TR	100	4,5	107 x 32	M 4						

53050 Ballpoint Screwdriver




art.-no.		 mm	 mm	art.-no.		 mm	 mm
53051	3,0	100	103 x 23	53054	6,0	125	117 x 37
53052	4,0	100	103 x 23	53055	8,0	150	127 x 39
53053	5,0	100	107 x 32				

53060 Square Drive Screwdriver



art.-no.		 mm	 mm	 mm	art.-no.		 mm	 mm	 mm
53061	1	100	4,5	107 x 32	53063	3	150	6,0	117 x 37
53062	2	125	5,0	107 x 32					

53070 TRI-WING Screwdriver



art.-no.		 mm	 mm	art.-no.		 mm	 mm
53071	TW 2	80	107 x 32	53073	TW 4	100	107 x 32
53072	TW 3	100	107 x 32	53074	TW 5	100	107 x 32

53400 Nutdriver



  				  			
art.-no.		mm	mm	art.-no.		mm	mm
53401	3,5	125	107 x 32	53409	9,0	125	117 x 37
53402	4,0	125	107 x 32	53410	10,0	125	117 x 37
53403	4,5	125	107 x 32	53411	11,0	125	127 x 39
53404	5,0	125	107 x 32	53412	12,0	125	127 x 39
53405	5,5	125	107 x 32	53413	13,0	125	127 x 39
53406	6,0	125	117 x 37	53414	14,0	125	127 x 39
53407	7,0	125	117 x 37	53415	17,0	125	127 x 39
53408	8,0	125	117 x 37				

53080 Nutdriver with flexible shaft



art.-no.		 mm	 mm	art.-no.		 mm	 mm
53081	5,0	200	117 x 37	53084	7,0	200	117 x 37
53082	5,5	200	117 x 37	53085	8,0	200	117 x 37
53083	6,0	200	117 x 37	53086	1/4"	200	117 x 37

53091 Magnetic Bit Holder Has shaft 150 mm long and magnetic 1/4" adapter



art.-no.		 mm	 mm
53091	1/4"	150	117 x 37

Multi- Set


Professional quality sets in sturdy metal cases with handle. The sets contain reversible combination blades which take the place of several individual screwdrivers.

Blades are made from high alloy special steel, 165mm long

handle: 3-component-plastic-handle

- 6 mm o.d.hexagon

- 1/4" o.d.hexagon



6 mm

1/4"

art.-no.	Drive
27884	handle
0,6 x 3,5	0,8 x 4,0 6 mm
1,0 x 5,5	1,2 x 6,5 6 mm
PH 1	PZ 1 6 mm
PH 2	PZ 2 6 mm
3,0	3,0 ballpoint 6 mm
4,0	4,0 ballpoint 6 mm
5,0	5,0 ballpoint 6 mm
6,0	6,0 ballpoint 6 mm
T 10	T 15 6 mm
T 20	T 25 6 mm
T 30	T 40 6 mm

art.-no.	Drive
27883	handle
0,6 x 3,5	0,8 x 4,0 1/4"
1,0 x 5,5	1,2 x 6,5 1/4"
PH 1	PZ 1 1/4"
PH 2	PZ 2 1/4"
3,0	3,0 ballpoint 1/4"
4,0	4,0 ballpoint 1/4"
5,0	5,0 ballpoint 1/4"
6,0	6,0 ballpoint 1/4"
T 10	T 15 1/4"
T 20	T 25 1/4"
T 30	T 40 1/4"

art.-no.	mm	mm	Drive
30562	0,6 x 3,5	0,8 x 4,0	6 mm
30563	1,0 x 5,5	1,2 x 6,5	6 mm

art.-no.	mm	mm	Drive
30542	0,6 x 3,5	0,8 x 4,0	1/4"
30543	1,0 x 5,5	1,2 x 6,5	1/4"

art.-no.	+	+	Drive
30564	PH 1	PZ 1	6 mm
30565	PH 2	PZ 2	6 mm

art.-no.	+	+	Drive
30544	PH 1	PZ 1	1/4"
30545	PH 2	PZ 2	1/4"

art.-no.	○	○	Drive
30566	3,0	3,0 ballpoint	6 mm
30567	4,0	4,0 ballpoint	6 mm
30568	5,0	5,0 ballpoint	6 mm
30569	6,0	6,0 ballpoint	6 mm

art.-no.	○	○	Drive
30546	3,0	3,0 ballpoint	1/4"
30547	4,0	4,0 ballpoint	1/4"
30548	5,0	5,0 ballpoint	1/4"
30549	6,0	6,0 ballpoint	1/4"

art.-no.	⊕	⊕	Drive
30559	T 10	T 15	6 mm
30560	T 20	T 25	6 mm
30561	T 30	T 40	6 mm

art.-no.	⊕	⊕	Drive
30539	T 10	T 15	1/4"
30540	T 20	T 25	1/4"
30541	T 30	T 40	1/4"

Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box



Screwdriver Assortments, 6 pieces

art.-no. 653754

		art.-no.
●	1,0 x 5,5	100 53105
●	1,2 x 6,5	125 53107
⊕	PH 1	80 53032
⊕	PH 2	100 53035
⊕	PZ 1	80 53042
⊕	PZ 2	100 53045

art.-no. 653864

		art.-no.
●	0,8 x 4,0	75 53103
●	1,0 x 5,5	100 53105
●	1,2 x 6,5	125 53107
●	1,2 x 8,0	150 53109
⊕	PH 1	80 53032
⊕	PH 2	100 53035

art.-no. 653868

		art.-no.
●	0,8 x 4,0	75 53103
●	1,0 x 5,5	100 8 53011
●	1,2 x 6,5	125 10 53012
●	1,2 x 8,0	150 13 53013
⊕	PZ 1	80 53042
⊕	PZ 2	100 53045

Screwdriver Assortments, 5 pieces

art.-no. 653865

		art.-no.
●	0,8 x 4,0	75 53103
●	1,0 x 5,5	100 53105
●	1,2 x 6,5	125 53107
⊕	PH 1	80 53032
⊕	PH 2	100 53035

art.-no. 653832

		art.-no.
●	0,5 x 3,0	75 53021
●	0,8 x 4,0	100 53104
●	1,0 x 5,5	125 53106
●	1,2 x 6,5	150 53108
⊕	PH 1	80 53032
⊕	PH 2	100 53035

art.-no. 653863

		art.-no.
●	0,8 x 4,0	75 53103
●	1,0 x 5,5	100 53105
●	1,2 x 6,5	125 53107
●	1,2 x 8,0	150 53109
⊕	PZ 1	80 53042
⊕	PZ 2	100 53045

art.-no. 653980

		art.-no.
⊗	T 10	80 53206
⊗	T 15	80 53207
⊗	T 20	100 53208
⊗	T 25	100 53209
⊗	T 30	115 53211
⊗	T 40	115 53212

art.-no. 653866

		art.-no.
●	0,8 x 4,0	75 53103
●	1,0 x 5,5	100 53105
●	1,2 x 6,5	125 53107
⊕	PZ 1	80 53042
⊕	PZ 2	100 53045

art.-no. 653833

		art.-no.
●	0,5 x 3,0	75 53021
●	0,8 x 4,0	100 53104
●	1,0 x 5,5	125 53106
●	1,2 x 6,5	150 53108
⊕	PZ 1	80 53042
⊕	PZ 2	100 53045

art.-no. 653867

		art.-no.
●	0,8 x 4,0	75 53103
●	1,0 x 5,5	100 8 53011
●	1,2 x 6,5	125 10 53012
●	1,2 x 8,0	150 13 53013
⊕	PH 1	80 53032
⊕	PH 2	100 53035

art.-no. 653726

		art.-no.
⊗	T 10 TR	80 53306
⊗	T 15 TR	80 53307
⊗	T 20 TR	100 53308
⊗	T 25 TR	100 53309
⊗	T 30 TR	115 53311
⊗	T 40 TR	115 53312

art.-no. 653725

		art.-no.
●	5,0	125 53404
●	5,5	125 53405
●	6,0	125 53406
●	7,0	125 53407
●	8,0	125 53408

The slip-resistant specialist.

Equipped with a patented, slip-resistant flocked (micro fibred) surface panels, the MAXXPRO PLUS screwdriver is the perfect tool for working in oily or wet conditions. Its remarkable ergonomics and its outstanding high torque are at their best under these more difficult conditions.

- The curved longitudinal outline of the ergonomic handles enables high application forces
- The proven triangle shape corresponds exactly to the ideal turning angle of the hand (120 °)
- Good handling due to soft component on the edges
- Fast turning zone from soft material makes working comfortable and safe
- Matt chromium-plated blades which are permanently etched and made of the finest high alloy special steel wire in all profiles
- Black blade tips for an optimal precision
- Patented, slip-resistant flocked (micro fibred) surface panels



practical
hanging hole

anti-slip micro fibre
surface

soft components

finest high alloy
special steel


multifunctional
zone

movement prevention

permanently marked
blades

63100 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
63101	0,6 x 3,5	75	3,5	103 x 23	63107	1,2 x 6,5	125	6,0	117 x 37
63102	0,6 x 3,5	100	3,5	103 x 23	63108	1,2 x 6,5	150	6,0	117 x 37
63103	0,8 x 4,0	75	4,0	103 x 23	63109	1,2 x 8,0	150	7,0	127 x 39
63104	0,8 x 4,0	100	4,0	103 x 23	63110	1,6 x 8,0	175	7,0	127 x 39
63105	1,0 x 5,5	100	5,0	107 x 32	63111	1,6 x 10,0	200	8,0	127 x 39
63106	1,0 x 5,5	125	5,0	107 x 32					

63010 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon to DIN 475 standards



art.-no.	 mm	 mm		 mm	 mm	art.-no.	 mm	 mm		 mm	 mm
63011	1,0 x 5,5	100	8	5,5	107 x 32	63013	1,2 x 8,0	150	13	8,0	127 x 39
63012	1,2 x 6,5	125	10	6,0	117 x 37	63014	1,6 x 10,0	175	13	8,0	127 x 39

63020 Electrician's Screwdriver


To DIN 5264 and ISO 2380 standards





art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
63021	0,5 x 3,0	75	3,0	103 x 23	63025	1,0 x 5,5	150	5,5	107 x 32
63022	0,6 x 3,5	100	3,5	103 x 23	63026	1,0 x 5,5	200	5,5	107 x 32
63023	0,6 x 4,0	300	4,0	103 x 23	63027	1,0 x 5,5	300	5,5	107 x 32
63024	0,8 x 4,0	125	4,0	103 x 23					

63030 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



													
art.-no.				mm	mm	mm	art.-no.				mm	mm	mm
63031	PH 0			60	3,0	103 x 23	63037	PH 2			300	6,0	117 x 37
63032	PH 1			80	4,5	107 x 32	63038	PH 3			150	8,0	127 x 39
63034	PH 1			300	4,5	107 x 32	63039	PH 4			200	10,0	127 x 39
63035	PH 2			100	6,0	117 x 37							

✚ 63500 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon to DIN 475 standards



art.-no.	✚	mm	mm	mm	mm	art.-no.	✚	mm	mm	mm	mm
63501	PH 1	80	6	4,5	107 x 32	63503	PH 3	150	13	8,0	127 x 39
63502	PH 2	100	10	6,0	117 x 37						

✚ 63040 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	✚	mm	mm	mm	art.-no.	✚	mm	mm	mm
63041	PZ 0	60	3,0	103 x 23	63047	PZ 2	300	6,0	117 x 37
63042	PZ 1	80	4,5	107 x 32	63048	PZ 3	150	8,0	127 x 39
63044	PZ 1	300	4,5	107 x 32	63049	PZ 4	200	10,0	127 x 39
63045	PZ 2	100	6,0	117 x 37					


✚ 63600 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, with hexagon to DIN 475 standards



art.-no.		 mm		 mm	 mm	art.-no.		 mm		 mm	 mm
63601	PZ 1	80	6	4,5	107 x 32	63603	PZ 3	150	13	8,0	127 x 39
63602	PZ 2	100	10	6,0	117 x 37						


✚ 63200 Torx Screwdriver



art.-no.		 mm	 mm	 mm		art.-no.		 mm	 mm	 mm	
63201	T 5	60	3,0	103 x 23	M 1,6-2,0	63208	T 20	100	4,5	107 x 32	M 4
63202	T 6	60	3,0	103 x 23	M 1,6-2,0	63209	T 25	100	4,5	107 x 32	M 5
63203	T 7	60	3,0	103 x 23	M 1,6-2,0	63210	T 27	115	6,0	117 x 37	M 5
63204	T 8	60	3,0	103 x 23	M 2,5	63211	T 30	115	6,0	117 x 37	M 6
63205	T 9	60	3,0	103 x 23	M 3	63212	T 40	115	7,0	127 x 39	M 8
63206	T 10	80	3,5	103 x 23	M 3	63213	T 45	130	8,0	127 x 39	M 8-10
63207	T 15	80	3,5	103 x 23	M 3,5						

63300 Torx Screwdriver

Tamper proof for resistant TORX screws



art.-no.		mm	mm	mm		art.-no.		mm	mm	mm	
63303	T 7 TR	60	3,0	103 x 23	M 1,6-2,0	63309	T 25 TR	100	4,5	107 x 32	M 5
63304	T 8 TR	60	3,0	103 x 23	M 2,5	63310	T 27 TR	115	6,0	117 x 37	M 5
63305	T 9 TR	60	3,0	103 x 23	M 3	63311	T 30 TR	115	6,0	117 x 37	M 6
63306	T 10 TR	80	3,5	103 x 23	M 3	63312	T 40 TR	115	7,0	127 x 39	M 8
63307	T 15 TR	80	3,5	103 x 23	M 3,5	63313	T 45 TR	130	8,0	127 x 39	M 8-10
63308	T 20 TR	100	4,5	107 x 32	M 4						

63050 Ballpoint Screwdriver



art.-no.		mm	mm	art.-no.		mm	mm
63051	3,0	100	103 x 23	63054	6,0	125	117 x 37
63052	4,0	100	103 x 23	63055	8,0	150	127 x 39
63053	5,0	100	107 x 32				

63060 Square Drive Screwdriver



art.-no.		mm	mm	mm	art.-no.		mm	mm	mm
63061	1	100	4,5	107 x 32	63063	3	150	6,0	117 x 37
63062	2	125	5,0	107 x 32					

63400 Nutdriver



art.-no.		mm	mm	art.-no.		mm	mm
63401	3,5	125	107 x 32	63409	9,0	125	117 x 37
63402	4,0	125	107 x 32	63410	10,0	125	117 x 37
63403	4,5	125	107 x 32	63411	11,0	125	127 x 39
63404	5,0	125	107 x 32	63412	12,0	125	127 x 39
63405	5,5	125	107 x 32	63413	13,0	125	127 x 39
63406	6,0	125	117 x 37	63414	14,0	125	127 x 39
63407	7,0	125	117 x 37	63415	17,0	125	127 x 39
63408	8,0	125	117 x 37	63091	1/4"	150	117 x 37

63080 Nutdriver

with flexible shaft



art.-no.		 mm	 mm	art.-no.		 mm	 mm
63081	5,0	200	117 x 37	63084	7,0	200	117 x 37
63082	5,5	200	117 x 37	63085	8,0	200	117 x 37
63083	6,0	200	117 x 37	63086	1/4"	200	117 x 37

to promote sales see pages 70 - 73

Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

Screwdriver Assortments, 6 pieces

art.-no. 663864

	mm	art.-no.
0,8 x 4,0	75	63103
1,0 x 5,5	100	63105
1,2 x 6,5	125	63107
1,2 x 8,0	150	63109
PH 1	80	63032
PH 2	100	63035

art.-no. 663863

	mm	art.-no.
0,8 x 4,0	75	63103
1,0 x 5,5	100	63105
1,2 x 6,5	125	63107
1,2 x 8,0	150	63109
PZ 1	80	63042
PZ 2	100	63045

art.-no. 663870

	mm	art.-no.
1,0 x 5,5	100	8 63011
1,2 x 6,5	125	10 63012
1,2 x 8,0	150	13 63013
PH 1	80	6 63501
PH 2	100	10 63502
PH 3	150	13 63503

Screwdriver Assortments, 5 pieces

art.-no. 663865

	mm	art.-no.
0,8 x 4,0	75	63103
1,0 x 5,5	100	63105
1,2 x 6,5	125	63107
PH 1	80	63032
PH 2	100	63035

art.-no. 663980

	mm	art.-no.
T 10	80	63206
T 15	80	63207
T 20	100	63208
T 25	100	63209
T 30	115	63211
T 40	115	63212

art.-no. 663723

	mm	art.-no.
T 10 TR	80	63306
T 15 TR	80	63307
T 20 TR	100	63308
T 25 TR	100	63309
T 30 TR	115	63311
T 40 TR	115	63312



A master of its class.

Ergonomic, force and safety - the MAXXPRO VDE gets best results in all disciplines. It is tested individually in a water bath at 10,000 volts which enables it to work with voltages of up to 1,000.

The MAXXPRO VDE fulfils the requirements of the EN 60900/IEC 60900 and is tested against cold-resistance with -40 °C (C marking).

- The curved longitudinal outline of the ergonomic handles enables high application forces

- The proved triangle shape corresponds exactly to the ideal turning angle of the hand (120 °)
- Good handling due to soft component on the edges
- Fast turning zone from soft material makes working comfortable and safe.
- Insulated blades



practical
hanging hole

soft components

safety insulated
blade

multifunctional zone

movement prevention

53700 Slotted Screwdriver

To DIN 7467 and ISO 2380



art.-no.	mm	mm	Ø mm	mm	art.-no.	mm	mm	Ø mm	mm
53701	0,4 x 2,5	75	2,5	103 x 23	53705	1,0 x 5,5	125	5,5	107 x 32
53702	0,5 x 3,0	100	3,0	103 x 23	53706	1,2 x 6,5	150	6,5	117 x 37
53703	0,6 x 3,5	100	3,5	103 x 23	53707	1,2 x 8,0	175	8,0	127 x 39
53704	0,8 x 4,0	100	4,0	107 x 32	53708	1,6 x 10,0	200	10,0	127 x 39

53710 Phillips Screwdriver

To DIN 7438, blade to ISO 8764, for PHILLIPS-RECESS screws



art.-no.	+	mm	Ø mm	mm	art.-no.	+	mm	Ø mm	mm
53710	PH 0	60	3,0	103 x 23	53713	PH 3	150	8,0	127 x 39
53711	PH 1	80	4,5	107 x 32	53714	PH 4	200	10,0	127 x 39
53712	PH 2	100	6,0	117 x 37					

53740 MODUL Phillips Screwdriver



art.-no.	+	mm	Ø mm	mm	art.-no.	+	mm	Ø mm	mm
53741	PH 1 / MODUL	80	4,5	107 x 32	53742	PH 2 / MODUL	100	6,0	117 x 37

53720 Crosspoint Screwdriver

For POZIDRIV screws, blade to ISO 8764 standard



art.-no.	+	mm	Ø mm	mm	art.-no.	+	mm	Ø mm	mm
53720	PZ 0	60	3,0	103 x 23	53723	PZ 3	150	8,0	127 x 39
53721	PZ 1	80	4,5	107 x 32	53724	PZ 4	200	10,0	127 x 39
53722	PZ 2	100	6,0	117 x 37					

53760 MODUL Crosspoint Screwdriver



art.-no.	+	mm	Ø mm	mm	art.-no.	+	mm	Ø mm	mm
53761	PZ 1 / MODUL	80	4,5	107 x 32	53762	PZ 2 / MODUL	100	6,0	117 x 37



AC 1000 V

**MAXXPRO[®]** VDE**53730 Torx Screwdriver**

art.-no.		mm	mm	mm	
53731	T 10	60	3,0	103 x 23	M 3
53732	T 15	75	3,5	103 x 23	M 3,5
53733	T 20	100	4,0	107 x 32	M 4
53734	T 25	100	4,5	107 x 32	M 5

art.-no.		mm	mm	mm	
53735	T 30	100	6,0	117 x 37	M 6
53736	T 40	150	8,0	127 x 39	M 8
53737	T 45	150	8,0	127 x 39	M 8-10

53750 Nutdriver

To DIN 7445, wrench size across flats to DIN 475 standards




art.-no.		mm	mm	mm
53750	6,0	125	5,0	117 x 37
53751	7,0	125	6,0	117 x 37
53752	8,0	125	6,0	117 x 37
53753	9,0	125	6,0	117 x 37

art.-no.		mm	mm	mm
53754	10,0	125	6,0	117 x 37
53755	11,0	125	8,0	127 x 39
53756	12,0	125	8,0	127 x 39
53757	13,0	125	8,0	127 x 39

Voltage (Circuit) Tester

Euro voltage tester CE to VDE 0680 part 6 standards

**CE**

125 - 250 V

art.-no.	mm	mm	mm	mm
24856	3,0	60	90 x 20	150

art.-no.	mm	mm	mm	mm
24857	3,5	100	90 x 20	190

Voltage Tester

Euro voltage tester CE to VDE 0680 part 6 standards

**CE**

220 - 250 V

art.-no.	mm	mm	mm	mm
24083 metal clip	3,0	65	75 x 15	140

art.-no.	mm	mm	mm	mm
24072	3,5	105	85 x 17	190



Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

Screwdriver Assortments, 7 pieces

art.-no. 653747

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PH 1	80
⊕	PH 2	100
●	3,0	65
		53701
		53704
		53705
		53706
		53711
		53712
		24083

art.-no. 653755

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PZ 1	80
⊕	PZ 2	100
●	3,0	65
		53701
		53704
		53705
		53706
		53721
		53722
		24083

Screwdriver Assortments, 6 pieces

art.-no. 653742

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PH 1	80
⊕	PH 2	100
		53701
		53704
		53705
		53706
		53711
		53712

art.-no. 653749

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PZ 1	80
⊕	PZ 2	100
		53701
		53704
		53705
		53706
		53721
		53722

Screwdriver Assortments, 5 pieces

art.-no. 653741

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
⊕	PH 1	80
⊕	PH 2	100
		53701
		53704
		53705
		53711
		53712

art.-no. 653744

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
⊕	PZ 1	80
⊕	PZ 2	100
		53701
		53704
		53705
		53721
		53722

The professional one.

practical
hanging hole

For daily work the screwdriver series PROTOP proves itself again and again. The combination of hard and soft surfaces on the handle improves load distribution and facilitates comfortable turning.

- Distinctively flared forward section for safe working and greater turning force
- Matt chromium plated blades made from high alloy special steel

soft components


multifunctional
zone

finest high alloy
special steel



86300 Engineer's Screwdriver


To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
86301	0,6 x 3,5	75	3,5	90 x 25	86307	1,2 x 6,5	125	6,0	110 x 31
86302	0,6 x 3,5	100	3,5	90 x 25	86308	1,2 x 6,5	150	6,0	110 x 31
86303	0,8 x 4,0	75	4,0	90 x 25	86309	1,2 x 8,0	150	7,0	125 x 36
86304	0,8 x 4,0	100	4,0	90 x 25	86310	1,6 x 8,0	175	7,0	125 x 36
86305	1,0 x 5,5	100	5,0	100 x 28	86311	1,6 x 10,0	200	8,0	125 x 36
86306	1,0 x 5,5	125	5,0	100 x 28					

70500 Engineer's Screwdriver


To DIN 5264 and ISO 2380 with hexagon to DIN 475 standards



art.-no.	 mm	 mm		 mm	 mm	art.-no.	 mm	 mm		 mm	 mm
70501	1,0 x 5,5	100	8	5,5	100 x 28	70503	1,2 x 8,0	150	13	8,0	125 x 36
70502	1,2 x 6,5	125	10	6,0	110 x 31	70504	1,6 x 10,0	175	13	8,0	125 x 36

86500 Electrician's Screwdriver


To DIN 5264 and ISO 2380 standards







art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
86501	0,5 x 3,0	75	3,0	90 x 25	86505	1,0 x 5,5	150	5,5	100 x 28
86502	0,6 x 3,5	100	3,5	90 x 25	86506	1,0 x 5,5	200	5,5	100 x 28
86503	0,8 x 4,0	125	4,0	90 x 25	86507	1,0 x 5,5	300	5,5	100 x 28
86504	0,6 x 4,0	300	4,0	90 x 25					

94400 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



																							
art.-no.		mm		mm		mm		art.-no.		mm		mm		mm		mm		mm					
94401		PH 0		60		3,0		90 x 25		94405		PH 2		300		6,0		110 x 31					
94402		PH 1		80		4,5		100 x 28		94408		PH 3		150		8,0		125 x 36					
94403		PH 1		300		4,5		100 x 28		94411		PH 4		200		10,0		125 x 36					
94404		PH 2		100		6.0		110 x 31															

97400 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon to DIN 475 standards




art.-no.		 mm	 mm	 mm	 mm
97401	PH 1	80	6	4,5	100 x 28
97402	PH 2	100	10	6,0	110 x 31

art.-no.		 mm	 mm	 mm	 mm
97403	PH 3	150	13	8,0	125 x 36

95200 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.		 mm	 mm	 mm
95201	PZ 0	60	3,0	90 x 25
95202	PZ 1	80	4,5	100 x 28
95203	PZ 1	300	4,5	100 x 28
95204	PZ 2	100	6,0	110 x 31

art.-no.		 mm	 mm	 mm
95205	PZ 2	300	6,0	110 x 31
95208	PZ 3	150	8,0	125 x 36
95211	PZ 4	200	10,0	125 x 36

95800 Crosspoint Screwdriver


To ISO 8764 for POZIDRIV screws, with hexagon to DIN 475 standards



art.-no.		 mm	 mm	 mm	 mm
95801	PZ 1	80	6	4,5	100 x 28
95802	PZ 2	100	10	6,0	110 x 31

art.-no.		 mm	 mm	 mm	 mm
95803	PZ 3	150	13	8,0	125 x 36

98000 Torx Screwdriver



art.-no.		 mm	 mm	 mm	
98005	T 5	50	2,5	90 x 25	M 1,6-2,0
98006	T 6	50	2,5	90 x 25	M 1,6-2,0
98007	T 7	50	2,5	90 x 25	M 1,6-2,0
98008	T 8	60	3,0	90 x 25	M 2,5
98009	T 9	60	3,0	90 x 25	M 3
98010	T 10	80	3,0	100 x 28	M 3
98015	T 15	80	3,5	100 x 28	M 3,5

art.-no.		 mm	 mm	 mm	
98020	T 20	100	4,0	100 x 28	M 4
98025	T 25	100	4,5	110 x 31	M 5
98027	T 27	115	5,5	110 x 31	M 5
98030	T 30	115	6,0	110 x 31	M 6
98040	T 40	115	7,0	125 x 36	M 8
98045	T 45	130	8,0	125 x 36	M 8-10

97800 Torx Screwdriver

Tamper proof for resistant TORX screws



art.-no.		 mm	 mm	 mm		art.-no.		 mm	 mm	 mm	
97807	T 7 TR	50	2,5	90 x 25	M 1,6-2,0	97825	T 25 TR	100	4,5	110 x 31	M 5
97808	T 8 TR	60	3,0	90 x 25	M 2,5	97827	T 27 TR	115	5,5	110 x 31	M 5
97809	T 9 TR	60	3,0	90 x 25	M 3	97830	T 30 TR	115	6,0	110 x 31	M 6
97810	T 10 TR	80	3,0	100 x 28	M 3	97840	T 40 TR	115	7,0	125 x 36	M 8
97815	T 15 TR	80	3,5	100 x 28	M 3,5	97845	T 45 TR	130	8,0	125 x 36	M 8-10
97820	T 20 TR	100	4,0	100 x 28	M 4						

93310 Square Drive Screwdriver



art.-no.		 mm	 mm	 mm	art.-no.		 mm	 mm	 mm
93311	1	100	4,5	100 x 28	93313	3	150	6,0	125 x 36
93312	2	125	5,0	110 x 31					

98300 Nutdriver



art.-no.		 mm	 mm	art.-no.		 mm	 mm
98301	3,5	125	90 x 25	98309	9,0	125	100 x 28
98302	4,0	125	90 x 25	98310	10,0	125	110 x 31
98303	4,5	125	90 x 25	98311	11,0	125	110 x 31
98304	5,0	125	90 x 25	98312	12,0	125	110 x 31
98305	5,5	125	90 x 25	98313	13,0	125	110 x 31
98306	6,0	125	100 x 28	98314	14,0	125	125 x 36
98307	7,0	125	100 x 28	98315	17,0	125	125 x 36
98308	8,0	125	100 x 28				


97600 Nutdriver with flexible shaft



art.-no.		 mm	 mm	art.-no.		 mm	 mm
97605	5,0	200	110 x 31	97603	8,0	200	110 x 31
97606	5,5	200	110 x 31	97607	10,0	200	125 x 36
97601	6,0	200	110 x 31	97604	1/4"	200	110 x 31
97602	7,0	200	110 x 31				

26365 Magnetic Bit Holder

Has shaft 150 mm long and magnetic 1/4" adapter




art.-no.	 mm	 mm	 mm
26365	1/4"	150	125 x 36

Stubby Screwdriver

86900 Slotted Screwdriver



art.-no.	 mm	 mm	$\varnothing$ mm	 mm
86981	0,8 x 4,5	25	4,5	55 x 29
86982	1,0 x 6,0	25	6,0	55 x 29
86983	1,2 x 8,0	25	8,0	55 x 29

94200 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	 mm	 mm	$\varnothing$ mm	 mm
94207	PH 01	25	4,5	55 x 29
94208	PH 02	25	6,0	55 x 29

95300 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	 mm	 mm	$\varnothing$ mm	 mm
95305	PZ 01	25	4,5	55 x 29
95306	PZ 02	25	6,0	55 x 29



Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

Screwdriver Assortments, 6 pieces

art.-no. 620754

		art.-no.
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100
⊕	PZ 1	80
⊕	PZ 2	100

art.-no. 620864

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100

art.-no. 620868

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

art.-no. 620832

		art.-no.
●	0,5 x 3,0	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PH 1	80
⊕	PH 2	100

art.-no. 620863

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

art.-no. 620980

		art.-no.
⊗	T 10	80
⊗	T 15	80
⊗	T 20	100
⊗	T 25	100
⊗	T 30	115
⊗	T 40	115

art.-no. 620833

		art.-no.
●	0,5 x 3,0	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PZ 1	80
⊕	PZ 2	100

art.-no. 620867

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100

art.-no. 620726

		art.-no.
⊗	T 10 TR	80
⊗	T 15 TR	80
⊗	T 20 TR	100
⊗	T 25 TR	100
⊗	T 30 TR	115
⊗	T 40 TR	115

Screwdriver Assortments, 5 pieces

art.-no. 620865

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100

art.-no. 620866

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PZ 1	80
⊕	PZ 2	100

art.-no. 620725

		art.-no.
●	5,0	125
●	5,5	125
●	6,0	125
●	7,0	125
●	8,0	125

The gripping expert

Three components in a multi-purpose handle - this is characteristic for the series PROTOP PLUS. Its shape is triangular, but without edges. The soft component lends grip to the handle while the flocked micro fibre surface offers reliable holding power.

- Optimal fast turning zone without dividing lines to power transmission
- Big dimensioned spherical handle end which ensures the axial force distribution

- Permanently marked matt chromium-plated blades from high alloy special steel
- Patented, anti slip micro fibre surface



86100 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards





art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
86101	0,6 x 3,5	75	3,5	90 x 25	86107	1,2 x 6,5	125	6,0	125 x 36
86102	0,6 x 3,5	100	3,5	90 x 25	86108	1,2 x 6,5	150	6,0	125 x 36
86103	0,8 x 4,0	75	4,0	100 x 28	86109	1,2 x 8,0	150	7,0	125 x 36
86104	0,8 x 4,0	100	4,0	100 x 28	86110	1,6 x 8,0	175	7,0	125 x 36
86105	1,0 x 5,5	100	5,0	110 x 31	86111	1,6 x 10,0	200	8,0	125 x 36
86106	1,0 x 5,5	125	5,0	110 x 31					

70600 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon to DIN 475 standards



									
art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
70601	1,0 x 5,5	100	8	5,5	70603	1,2 x 8,0	150	13	8,0
70602	1,2 x 6,5	125	10	6,0	70604	1,6 x 10,0	175	13	8,0

86600 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
86601	0,5 x 3,0	75	3,0	90 x 25	86605	1,0 x 5,5	150	5,5	100 x 28
86602	0,6 x 3,5	100	3,5	90 x 25	86606	1,0 x 5,5	200	5,5	100 x 28
86603	0,8 x 4,0	125	4,0	90 x 25	86607	1,0 x 5,5	300	5,5	100 x 28
86604	0,6 x 4,0	300	4,0	90 x 25					

94500 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
94501	PH 0	60	3,0	90 x 25	94507	PH 2	300	6,0	125 x 36
94502	PH 1	80	4,5	110 x 31	94508	PH 3	150	8,0	125 x 36
94504	PH 1	300	4,5	110 x 31	94509	PH 4	200	10,0	125 x 36
94505	PH 2	100	6,0	125 x 36					

97200 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon to DIN 475 standards



art.-no.		 mm		 mm	 mm
97201	PH 1	80	6	4,5	110 x 31
97202	PH 2	100	10	6,0	125 x 36

art.-no.		 mm		 mm	 mm
97203	PH 3	150	13	8,0	125 x 36

+ 95500 Crosspoint Screwdriver
To ISO 8764 for POZIDRIV screws



art.-no.	+	mm	mm	mm
95501	PZ 0	60	3,0	90 x 25
95502	PZ 1	80	4,5	110 x 31
95504	PZ 1	300	4,5	110 x 31
95505	PZ 2	100	6,0	125 x 36

art.-no.	+	mm	mm	mm
95507	PZ 2	300	6,0	125 x 36
95508	PZ 3	150	8,0	125 x 36
95509	PZ 4	200	10,0	125 x 36

+ 95600 Crosspoint Screwdriver
To ISO 8764 for POZIDRIV screws, with hexagon to DIN 475 standards



art.-no.	+	mm	mm	mm
95601	PZ 1	80	4,5	110 x 31
95602	PZ 2	100	6,0	125 x 36

art.-no.	+	mm	mm	mm
95603	PZ 3	150	8,0	125 x 36

98500 Torx Screwdriver



art.-no.		mm	mm	mm	
98505	T 5	50	2,5	90 x 25	M 1,6-2,0
98506	T 6	50	2,5	90 x 25	M 1,6-2,0
98507	T 7	50	2,5	90 x 25	M 1,6-2,0
98508	T 8	60	3,0	90 x 25	M 2,5
98509	T 9	60	3,0	90 x 25	M 3
98510	T 10	80	3,0	100 x 28	M 3
98515	T 15	80	3,5	100 x 28	M 3,5

art.-no.		mm	mm	mm	
98520	T 20	100	4,0	100 x 28	M 4
98525	T 25	100	4,5	110 x 31	M 5
98527	T 27	115	5,5	110 x 31	M 5
98530	T 30	115	6,0	110 x 31	M 6
98540	T 40	115	7,0	125 x 36	M 8
98545	T 45	130	8,0	125 x 36	M 8-10

97100 Torx Screwdriver
Tamper proof for resistant TORX screws



art.-no.		mm	mm	mm	
97107	T 7 TR	50	2,5	90 x 25	M 1,6-2,0
97108	T 8 TR	60	3,0	90 x 25	M 2,5
97109	T 9 TR	60	3,0	90 x 25	M 3
97110	T 10 TR	80	3,0	100 x 28	M 3
97115	T 15 TR	80	3,5	100 x 28	M 3,5
97120	T 20 TR	100	4,0	100 x 28	M 4

art.-no.		mm	mm	mm	
97125	T 25 TR	100	4,5	110 x 31	M 5
97127	T 27 TR	115	5,5	110 x 31	M 5
97130	T 30 TR	115	6,0	110 x 31	M 6
97140	T 40 TR	115	7,0	125 x 36	M 8
97145	T 45 TR	130	8,0	125 x 36	M 8-10

26355 Magnetic Bit Holder
Has shaft 150 mm long and magnetic 1/4" adapter



art.-no.		mm	mm
26355	1/4"	150	125 x 36



Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

Screwdriver Assortments, 6 pieces

art.-no. 621864

		art.-no.
●	0,8 x 4,0	75 86103
●	1,0 x 5,5	100 86105
●	1,2 x 6,5	125 86107
●	1,2 x 8,0	150 86109
⊕	PH 1	80 94502
⊕	PH 2	100 94505

art.-no. 621980

		art.-no.
⊗	T 10	80 98510
⊗	T 15	80 98515
⊗	T 20	100 98520
⊗	T 25	100 98525
⊗	T 30	115 98530
⊗	T 40	115 98540

art.-no. 621863

		art.-no.
●	0,8 x 4,0	75 86103
●	1,0 x 5,5	100 86105
●	1,2 x 6,5	125 86107
●	1,2 x 8,0	150 86109
⊕	PZ 1	80 95502
⊕	PZ 2	100 95505

art.-no. 620723

		art.-no.
⊗	T 10 TR	80 97110
⊗	T 15 TR	80 97115
⊗	T 20 TR	100 97120
⊗	T 25 TR	100 97125
⊗	T 30 TR	115 97130
⊗	T 40 TR	115 97140

art.-no. 621870

			art.-no.
●	1,0 x 5,5	100	8 70601
●	1,2 x 6,5	125	10 70602
●	1,2 x 8,0	150	13 70603
⊕	PH 1	80	6 97201
⊕	PH 2	100	10 97202
⊕	PH 3	150	13 97203

Screwdriver Assortments, 5 pieces

art.-no. 621865

		art.-no.
●	0,8 x 4,0	75 86103
●	1,0 x 5,5	100 86105
●	1,2 x 6,5	125 86107
⊕	PH 1	80 94502
⊕	PH 2	100 94505

art.-no. 621866

		art.-no.
●	0,8 x 4,0	75 86103
●	1,0 x 5,5	100 86105
●	1,2 x 6,5	125 86107
⊕	PZ 1	80 95502
⊕	PZ 2	100 95505

The safety expert.

Wherever live electrical circuits are presented, a screwdriver has to ensure maximum safety - like the PROTOP VDE. Every screwdriver of this series is tested in accordance with DIN EN 60900 / IEC 60900. The testing on cold temperature resistance takes place under screw

tightening standards at -40° C (C marking). In addition each PROTOP VDE screwdriver is individually tested for dielectric strength in water to 10,000 V.

- With the spherical handle end of the PROTOP series
- Hard and soft surfaces provide excellent power transmission and comfortable grip
- Safety insulated blades



74100 Slotted Screwdriver

To DIN 7467 and ISO 2380



art.-no.	mm	mm	mm	mm
74101	0,4 x 2,5	75	2,5	90 x 25
74102	0,5 x 3,0	100	3,0	90 x 25
74103	0,6 x 3,5	100	3,5	90 x 25
74104	0,8 x 4,0	100	4,0	90 x 25

art.-no.	mm	mm	mm	mm
74105	1,0 x 5,5	125	5,5	100 x 28
74106	1,2 x 6,5	150	6,5	110 x 31
74107	1,2 x 8,0	175	8,0	125 x 36
74108	1,6 x 10,0	200	10,0	125 x 36

74500 Phillips Screwdriver

To DIN 7438, blade to ISO 8764, for PHILLIPS-RECESS screws



art.-no.	mm	mm	mm
74501	PH 0	60	3,0
74502	PH 1	80	4,5
74503	PH 2	100	6,0

art.-no.	mm	mm	mm
74504	PH 3	150	8,0
74505	PH 4	200	10,0

74700 Crosspoint Screwdriver

For POZIDRIV screws, blade to ISO 8764 standard



art.-no.	mm	mm	mm
74701	PZ 0	60	3,0
74702	PZ 1	80	4,5
74703	PZ 2	100	6,0

art.-no.	mm	mm	mm
74704	PZ 3	150	8,0
74705	PZ 4	200	10,0

Voltage (Circuit) Tester

Euro voltage tester CE to VDE 0680 part 6 standards


CE

125 - 250 V

art.-no.	mm	mm	mm	mm
24856	3,0	60	90 x 20	150

art.-no.	mm	mm	mm	mm
24857	3,5	100	90 x 20	190

Voltage Tester

Euro voltage tester CE to VDE 0680 part 6 standards


CE

220 - 250 V

art.-no.	mm	mm	mm	mm
24083	3,0	65	75 x 15	140

art.-no.	mm	mm	mm	mm
24072	3,5	105	85 x 17	190



AC 1000 V

**PROTOP**[®]
VDE

Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box



Screwdriver Assortments, 7 pieces

art.-no. 620747

		art.-no.
	0,4 x 2,5	75 74101
	0,8 x 4,0	100 74104
	1,0 x 5,5	125 74105
	1,2 x 6,5	150 74106
	PH 1	80 74502
	PH 2	100 74503
	3,0	65 24083

art.-no. 620755

		art.-no.
	0,4 x 2,5	75 74101
	0,8 x 4,0	100 74104
	1,0 x 5,5	125 74105
	1,2 x 6,5	150 74106
	PZ 1	80 74702
	PZ 2	100 74703
	3,0	65 24083

Screwdriver Assortments, 6 pieces

art.-no. 620742

		art.-no.
	0,4 x 2,5	75 74101
	0,8 x 4,0	100 74104
	1,0 x 5,5	125 74105
	1,2 x 6,5	150 74106
	PH 1	80 74502
	PH 2	100 74503

art.-no. 620749

		art.-no.
	0,4 x 2,5	75 74101
	0,8 x 4,0	100 74104
	1,0 x 5,5	125 74105
	1,2 x 6,5	150 74106
	PZ 1	80 74702
	PZ 2	100 74703

Screwdriver Assortments, 5 pieces

art.-no. 620741

		art.-no.
	0,4 x 2,5	75 74101
	0,8 x 4,0	100 74104
	1,0 x 5,5	125 74105
	PH 1	80 74502
	PH 2	100 74503

art.-no. 620744

		art.-no.
	0,4 x 2,5	75 74101
	0,8 x 4,0	100 74104
	1,0 x 5,5	125 74105
	PZ 1	80 74702
	PZ 2	100 74703

The strong one.

The TOPLUS screwdriver ensures excellent results for difficult screw-driving work and the unscrewing of tightly seated screws. The strong, ergonomically correct triangular handle guarantees the highest level of power transmission and its ideal turning angle of 120° prevents muscle fatigue.

- The patented anti-slip micro fibre surface on three sides of the handle allows working in wet or oily conditions
- Permanently marked the fully anchored matt chromium plated blades are from high alloy special steel

impact absorbing

anti-slip micro fibre
surface

large gripping
surfaced handle


finest high alloy
special steel

permanently
marked blades



86200 Engineer's Screwdriver


To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
86231	0,6 x 3,5	75	3,5	85 x 24	86237	1,2 x 6,5	125	6,0	115 x 32
86232	0,6 x 3,5	100	3,5	85 x 24	86238	1,2 x 6,5	150	6,0	115 x 32
86233	0,8 x 4,0	75	4,0	95 x 27	86239	1,2 x 8,0	150	7,0	125 x 34
86234	0,8 x 4,0	100	4,0	95 x 27	86240	1,6 x 8,0	175	7,0	125 x 34
86235	1,0 x 5,5	100	5,0	105 x 29	86241	1,6 x 10,0	200	8,0	125 x 34
86236	1,0 x 5,5	125	5,0	105 x 29	86242	2,0 x 12,0	250	9,0	125 x 34

70400 Engineer's Screwdriver

To DIN 5264 and ISO 2380, hexagonal blade with hexagonal bolster dimensioned to DIN 475



     					     						
art.-no.	mm	mm			mm	art.-no.	mm	mm			mm
70401	1,0 x 5,5	100	8	5,0	105 x 29	70404	1,6 x 10,0	175	13	8,0	125 x 34
70402	1,2 x 6,5	125	10	6,0	115 x 32	70405	2,0 x 12,0	200	16	10,0	125 x 34
70403	1,2 x 8,0	150	13	7,0	125 x 34	70406	2,5 x 14,0	250	16	10,0	125 x 34

86400 Electrician's Screwdriver


To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
86401	0,5 x 3,0	75	3,0	75 x 21	86406	1,0 x 5,5	150	5,5	95 x 27
86402	0,6 x 3,5	100	3,5	85 x 24	86407	1,0 x 5,5	200	5,5	95 x 27
86404	0,8 x 4,0	125	4,0	85 x 24	86408	1,0 x 5,5	300	5,5	95 x 27
86405	0,6 x 4,0	300	4,0	85 x 24					

94300 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



																							
art.-no.		mm		mm		mm		art.-no.		mm		mm		mm		art.-no.		mm		mm		mm	
94301	PH 0	60		3,0		85 x 24		94309	PH 2	300		6,0		115 x 32		94304	PH 3	150		8,0		125 x 34	
94302	PH 1	80		4,5		105 x 29		94305	PH 4	200		10,0		125 x 34									
94308	PH 1	300		4,5		105 x 29																	
94303	PH 2	100		6.0		115 x 32																	

97300 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, hexagonal blade with hexagonal bolster dimensioned to DIN 475 standards



art.-no.	+	mm	mm	mm	mm	art.-no.	+	mm	mm	mm	mm
97301	PH 1	80	8	5,0	105 x 29	97303	PH 3	150	13	8,0	125 x 34
97302	PH 2	100	10	6,0	115 x 32	97304	PH 4	200	16	10,0	125 x 34

95140 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	+	mm	mm	mm	art.-no.	+	mm	mm	mm
95100	PZ 0	60	3,0	85 x 24	95109	PZ 2	300	6,0	115 x 32
95101	PZ 1	80	4,5	105 x 29	95103	PZ 3	150	8,0	125 x 34
95108	PZ 1	300	4,5	105 x 29	95104	PZ 4	200	10,0	125 x 34
95102	PZ 2	100	6,0	115 x 32					

95700 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, hexagonal blade with hexagonal bolster dimensioned to DIN 475 standards



art.-no.		 mm			 mm	art.-no.		 mm			 mm
95701	PZ 1	80	8	5,0	105 x 29	95703	PZ 3	150	13	8,0	125 x 34
95702	PZ 2	100	10	6,0	115 x 32	95704	PZ 4	200	16	10,0	125 x 34

97900 Torx Screwdriver



art.-no.		 mm	 mm	 mm		art.-no.		 mm	 mm	 mm	
97921	T 5	50	2,5	75 x 21	M 1,6-2,0	97907	T 20	100	4,0	95 x 27	M 4
97901	T 6	50	2,5	75 x 21	M 1,6-2,0	97908	T 25	100	4,5	95 x 27	M 5
97902	T 7	50	2,5	75 x 21	M 1,6-2,0	97909	T 27	115	5,5	105 x 29	M 5
97903	T 8	60	3,0	85 x 24	M 2,5	97910	T 30	115	6,0	105 x 29	M 6
97904	T 9	60	3,0	85 x 24	M 3	97911	T 40	115	7,0	115 x 32	M 8
97905	T 10	80	3,0	95 x 27	M 3	97912	T 45	130	8,0	125 x 34	M 8-10
97906	T 15	80	3,5	95 x 27	M 3,5						

97700 Torx Screwdriver

Tamper proof for resistant TORX screws




art.-no.			mm	mm		mm	
97707	T 7 TR		50	2,5	75 x 21	M 1,6-2,0	
97708	T 8 TR		60	3,0	85 x 24	M 2,5	
97709	T 9 TR		60	3,0	85 x 24	M 3	
97710	T 10 TR		80	3,0	95 x 27	M 3	
97715	T 15 TR		80	3,5	95 x 27	M 3,5	
97720	T 20 TR		100	4,0	95 x 27	M 4	

art.-no.			mm	mm		mm	
97725	T 25 TR		100	4,5	95 x 27	M 5	
97727	T 27 TR		115	5,5	105 x 29	M 5	
97730	T 30 TR		115	6,0	105 x 29	M 6	
97740	T 40 TR		115	7,0	115 x 32	M 8	
97745	T 45 TR		130	8,0	125 x 34	M 8-10	

Stubby Screwdriver

86250 Slotted Screwdriver

art.-no.		mm		mm	mm		mm
86251	0,8 x 4,5		25		4,5	55 x 25	
86252	1,0 x 6,0		25		6,0	55 x 25	
86253	1,2 x 8,0		25		8,0	55 x 25	



94350 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws

art.-no.			mm	mm		mm
94306	PH 01		25		4,5	55 x 25
94307	PH 02		25		6,0	55 x 25



95150 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws

art.-no.			mm	mm		mm
95106	PZ 01		25		4,5	55 x 25
95107	PZ 02		25		6,0	55 x 25





Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

Screwdriver Assortments, 6 pieces

art.-no. 620308

		art.-no.
0,8 x 4,0	75	86233
1,0 x 5,5	100	86235
1,2 x 6,5	125	86237
1,2 x 8,0	150	86239
PH 1	80	94302
PH 2	100	94303

art.-no. 620316

		art.-no.
0,8 x 4,0	75	86233
1,0 x 5,5	100	8
1,2 x 6,5	125	10
1,2 x 8,0	150	13
PZ 1	80	95101
PZ 2	100	95102

art.-no. 620317

		art.-no.
0,8 x 4,0	75	86233
1,0 x 5,5	100	86235
1,2 x 6,5	125	86237
1,2 x 8,0	150	86239
PZ 1	80	95101
PZ 2	100	95102

art.-no. 620360

		art.-no.
T 10	80	97905
T 15	80	97906
T 20	100	97907
T 25	100	97908
T 30	115	97910
T 40	115	97911

art.-no. 620301

		art.-no.
0,8 x 4,0	75	86233
1,0 x 5,5	100	8
1,2 x 6,5	125	10
1,2 x 8,0	150	13
PH 1	80	94302
PH 2	100	94303

Screwdriver Assortments, 5 pieces

art.-no. 620700

		art.-no.
0,8 x 4,0	75	86233
1,0 x 5,5	100	86235
1,2 x 6,5	125	86237
PH 1	80	94302
PH 2	100	94303

art.-no. 620701

		art.-no.
0,8 x 4,0	75	86233
1,0 x 5,5	100	86235
1,2 x 6,5	125	86237
PZ 1	80	95101
PZ 2	100	95102

art.-no. 620702

		art.-no.
0,8 x 4,0	75	86233
1,0 x 5,5	100	8
1,2 x 6,5	125	10
PH 1	80	94302
PH 2	100	94303



impact absorbing

**practical
hanging hole**

fast turning zone

**nickel plated
special steel**

The proven one.


For varied use in household and DIY jobs, the TRIAX screwdriver achieves excellent results. The pleasant shape of this series, especially its unique surface structure, provides very good values in all sectors of power transmission.


- Proven triangular shape
- Fast turning zone with a grooved area which prevents the fingers slipping
- Blades made of nickel plated
- Impact absorbing



85630 Engineer's Screwdriver



art.-no.	 mm	 mm	 mm	 mm
85631	0,5 x 4,0	75	3,5	90 x 22
85632	0,6 x 5,0	100	4,0	100 x 25
85633	0,8 x 6,0	125	5,0	110 x 27

art.-no.	 mm	 mm	 mm	 mm
85634	0,9 x 7,0	150	6,0	120 x 31
85635	1,0 x 8,0	175	7,0	120 x 31
85636	1,0 x 9,0	200	7,0	120 x 31

70330 Engineer's Screwdriver

Blade with hexagon to DIN 475 standard





art.-no.	 mm	 mm	 mm	 mm	 mm
70331	0,8 x 5,5	100	8	5,5	100 x 25
70332	1,0 x 7,0	125	10	7,0	110 x 27

art.-no.	 mm	 mm	 mm	 mm	 mm
70333	1,2 x 9,0	150	13	8,0	120 x 31
70334	1,6 x 10,0	175	13	9,0	120 x 31

85530 Electrician's Screwdriver



art.-no.	 mm	 mm	 mm	 mm
85531	0,4 x 3,0	75	3,0	80 x 18
85532	0,5 x 4,0	100	4,0	90 x 22

art.-no.	 mm	 mm	 mm	 mm
85533	0,5 x 4,0	125	4,0	90 x 22
85534	0,8 x 5,0	150	5,0	100 x 25

94230 Phillips Screwdriver

for PHILLIPS-RECESS screws



art.-no.	 mm	 mm	 mm	 mm
94231	PH 0	60	3,0	80 x 18
94232	PH 1	80	4,5	100 x 25

art.-no.	 mm	 mm	 mm	 mm
94233	PH 2	100	6,0	110 x 27
94234	PH 3	150	8,0	120 x 31

95330 Crosspoint Screwdriver


for POZIDRIV screws



art.-no.	 mm	 mm	 mm	 mm
95331	PZ 0	60	3,0	80 x 18
95332	PZ 1	80	4,5	100 x 25

art.-no.	 mm	 mm	 mm	 mm
95333	PZ 2	100	6,0	110 x 27
95334	PZ 3	150	8,0	120 x 31

✦ 99030 Torx Screwdriver



art.-no.	✦	mm	mm	mm	mm
99031	T 10	80	3,0	100 x 25	M 3
99032	T 15	80	3,5	100 x 25	M 3,5
99033	T 20	100	4,0	100 x 25	M 4
99034	T 25	100	4,5	110 x 27	M 5

art.-no.	✦	mm	mm	mm	mm
99035	T 27	115	5,5	110 x 27	M 5
99036	T 30	115	6,0	110 x 27	M 6
99037	T 40	115	7,0	120 x 31	M 8

■ 93330 Square Drive Screwdriver




art.-no.	■	mm	mm	mm
93331	1	100	4,5	100 x 25
93332	2	125	5,0	110 x 27

art.-no.	■	mm	mm	mm
93333	3	150	6,0	120 x 31

Stubby Screwdriver

● 86930 Slotted Screwdriver



art.-no.	mm	mm	mm	mm
86931	0,7 x 4,5	25	4,5	55 x 29
86932	0,9 x 6,0	25	6,0	55 x 29
86933	1,2 x 8,0	25	6,0	55 x 29

+ 94250 Phillips Screwdriver for PHILLIPS-RECESS screws



art.-no.	+	mm	mm	mm
94251	PH 01	25	4,5	55 x 29
94252	PH 02	25	6,0	55 x 29



Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

Screwdriver Assortments, 6 pieces

art.-no. 620974

		art.-no.
●	0,5 x 4,0	75 85631
●	0,6 x 5,0	100 85632
●	0,8 x 6,0	125 85633
●	0,9 x 7,0	150 85634
+	PH 1	80 94232
+	PH 2	100 94233

art.-no. 620975

		art.-no.
●	0,5 x 4,0	75 85631
●	0,6 x 5,0	100 85632
●	0,8 x 6,0	125 85633
●	0,9 x 7,0	150 85634
+	PZ 1	80 95332
+	PZ 2	100 95333

art.-no. 620976

		art.-no.
⊗	T 10	80 99031
⊗	T 15	80 99032
⊗	T 20	100 99033
⊗	T 25	100 99034
⊗	T 30	115 99036
⊗	T 40	115 99037


Screwdriver Assortments, 5 pieces

art.-no. 620972

		art.-no.
●	0,5 x 4,0	75 85631
●	0,6 x 5,0	100 85632
●	0,8 x 6,0	125 85633
+	PH 1	80 94232
+	PH 2	100 94233

art.-no. 620973

		art.-no.
●	0,5 x 4,0	75 85631
●	0,6 x 5,0	100 85632
●	0,8 x 6,0	125 85633
+	PZ 1	80 95332
+	PZ 2	100 95333



leather end cap

hardwood handle

hexagon key
support

through blade

Classical Screwdriver.

Screwdrivers with wooden handles have a long tradition. Even today it is preferred by those, who really appreciate its reliability and who like to work with natural materials.

- Hardwood handle
- The blade made of one piece, with its precision engineered hexagon bolster for possible use with wrenches
- Leather end cap protects the handle from damaging or damage



96500 Engineer's Screwdriver

Blade is bright chrome plated with black tip



art.-no.	mm	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm	mm
96501	0,6 x 3,5	75	6	4,5	95 x 24	96505	1,2 x 9,0	150	13	8,0	120 x 30
96502	0,7 x 4,5	90	6	4,5	95 x 24	96506	1,6 x 10,0	175	13	9,0	125 x 32
96503	0,8 x 5,5	100	8	5,5	100 x 25	96507	2,0 x 12,0	200	16	9,0	130 x 32
96504	1,0 x 7,0	125	10	7,0	110 x 27	96508	2,5 x 13,0	250	16	11,0	130 x 35

96600 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws. Blade is bright chrome plated, with black tip



art.-no.		 mm		 mm	 mm	art.-no.		 mm		 mm	 mm
96601	PH 1	85	6	4,5	95 x 24	96603	PH 3	150	13	8,0	120 x 30
96602	PH 2	100	10	6,0	110 x 27	96604	PH 4	200	16	10,0	130 x 32

96700 Crosspoint Screwdriver


To ISO 8764 for POZIDRIV screws. Blade is bright chrome plated, with black tip



art.-no.		 mm		 mm	 mm	art.-no.		 mm		 mm	 mm
96701	PZ 1	85	6	4,5	95 x 24	96703	PZ 3	150	13	8,0	120 x 30
96702	PZ 2	100	10	6,0	110 x 27	96704	PZ 4	200	16	10,0	130 x 32

96100 Engineer's Screwdriver

Blade is bright nickel plated



 					 					 				
art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm	mm	mm	mm		
96101	0,6 x 3,5	75	6	4,5	95 x 24	96105	1,2 x 9,0	150	13	8,0	120 x 30			
96102	0,7 x 4,5	90	6	4,5	95 x 24	96106	1,6 x 10,0	175	13	9,0	125 x 32			
96103	0,8 x 5,5	100	8	5,5	100 x 25	96107	2,0 x 12,0	200	16	9,0	130 x 32			
96104	1,0 x 7,0	125	10	7,0	110 x 27	96108	2,5 x 13,0	250	16	11,0	130 x 35			

96300 Phillips Screwdriver

For PHILLIPS-RECESS screws. Blade is bright nickel plated



art.-no.		 mm		 mm	 mm	art.-no.		 mm		 mm	 mm
96301	PH 1	85	6	4,5	95 x 24	96303	PH 3	150	13	8,0	120 x 30
96302	PH 2	100	10	6,0	110 x 27	96304	PH 4	200	16	10,0	130 x 32

91504 Round Awl

Full-size blade made of chrome-vanadium steel, bright nickel plated. Birch wood handle



art.-no.	mm	mm	mm
91504	100	6,0	90 x 38

91900 Square Reamer

Full-size blade made of chrome-vanadium steel, bright nickel plated. Birch wood handle



art.-no.	mm	mm	mm
91900	100	6,0	90 x 38

to promote sales see pages 70 - 73

Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box



Screwdriver Assortments, 6 pieces

art.-no. 620326

	mm	mm	art.-no.
●	0,6 x 3,5	75	6
●	0,7 x 4,5	90	6
●	0,8 x 5,5	100	8
●	1,0 x 7,0	125	10
⊕	PH 1	85	6
⊕	PH 2	100	10

art.-no. 620327

	mm	mm	art.-no.
●	0,6 x 3,5	75	6
●	0,7 x 4,5	90	6
●	0,8 x 5,5	100	8
●	1,0 x 7,0	125	10
⊕	PZ 1	85	6
⊕	PZ 2	100	10

art.-no. 620302

	mm	mm	art.-no.
●	0,7 x 4,5	90	6
●	0,8 x 5,5	100	8
●	1,0 x 7,0	125	10
●	1,2 x 9,0	150	13
⊕	PH 1	85	6
⊕	PH 2	100	10

art.-no. 620400

	mm	mm	art.-no.
●	0,7 x 4,5	90	6
●	0,8 x 5,5	100	8
●	1,0 x 7,0	125	10
●	1,2 x 9,0	150	13
⊕	PZ 1	85	6
⊕	PZ 2	100	10

Screwdriver Assortments, 5 pieces

art.-no. 620306


	mm	mm	art.-no.
●	0,7 x 4,5	90	6
●	0,8 x 5,5	100	8
●	1,0 x 7,0	125	10
⊕	PH 1	85	6
⊕	PH 2	100	10

art.-no. 620303

	mm	mm	art.-no.
●	0,7 x 4,5	90	6
●	0,8 x 5,5	100	8
●	1,0 x 7,0	125	10
⊕	PZ 1	85	6
⊕	PZ 2	100	10

83240 Engineer's Screwdriver

Blade to VSM 35601, Swiss standard, from size 6 with square bolster



art.-no.	#	mm	mm	mm	mm	art.-no.	#	mm	mm	mm	mm
83200	00	0,3 x 2,0	70	2,5	75 x 16	83215	5	1,2 x 8,0	160	7,0	110 x 26
83210	0	0,4 x 2,5	80	3,0	75 x 16	83216	6	1,6 x 10,0	180	8,0	120 x 32
83211	1	0,5 x 3,5	90	3,5	80 x 19	83217	7	2,0 x 13,0	200	9,0	120 x 32
83212	2	0,6 x 4,0	100	4,0	80 x 19	83218	8	2,5 x 16,0	220	10,0	120 x 32
83213	3	0,8 x 5,5	120	5,0	90 x 21	83219	9	3,0 x 18,0	240	11,0	120 x 32
83214	4	1,0 x 6,5	140	6,0	100 x 24						

94000 Phillips Screwdriver


To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	+	mm	mm	mm	art.-no.	+	mm	mm	mm
94001	PH 0	60	3,0	80 x 19	94004	PH 3	150	8,0	120 x 32
94002	PH 1	80	4,5	90 x 21	94005	PH 4	200	10,0	120 x 32
94003	PH 2	100	6,0	100 x 24					

95540 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws




art.-no.	+	mm	mm	mm	art.-no.	+	mm	mm	mm
95541	PZ 0	60	3,0	80 x 19	95544	PZ 3	150	8,0	120 x 32
95542	PZ 1	80	4,5	90 x 21	95545	PZ 4	200	10,0	120 x 32
95543	PZ 2	100	6,0	100 x 24					

Stubby Screwdriver

87000 Slotted Screwdriver


art.-no.	#	mm	mm	mm	mm
87003	3	0,8 x 5,5	30	4,5	55 x 30
87004	4	1,0 x 6,5	30	6,0	55 x 30
87005	5	1,2 x 8,0	30	7,0	55 x 30



94010 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws

art.-no.	+	mm	mm	mm
94006	PH 01	30	4,5	55 x 30
94007	PH 02	30	6,0	55 x 30



Screwholding Screwdriver

Blade is made from finest high alloy special steel, burnished
Handle and insulation are made from plastic

87540 Flat tip Screwdriver



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
87500	0,4 x 2,5	75	2,5	75 x 21	87503	1,0 x 5,0	150	5,0	105 x 30
87501	0,5 x 3,0	100	3,0	85 x 24	87504	1,2 x 6,0	175	6,0	105 x 30
87502	0,8 x 4,0	125	4,0	95 x 28					

87600 Phillips Screwdriver for PHILLIPS-RECESS screws




																															
art.-no.		mm		mm		mm		art.-no.		mm		mm		mm		art.-no.		mm		mm		mm		mm							
87601		PH 0		125		4,0		95 x 28		87603		PH 2		175		6,0		105 x 30													
87602		PH 1		150		5,0		105 x 30																							

87700 Crosspoint Screwdriver for POZIDRIV screws



art.-no.		 mm	 mm	 mm	art.-no.		 mm	 mm	 mm
87701	PZ 0	125	4,0	95 x 28	87703	PZ 2	175	6,0	105 x 30
87702	PZ 1	150	5,0	105 x 30					

87800 Torx Screwdriver



art.-no.		 mm	 mm	 mm		art.-no.		 mm	 mm	 mm	
87808	T 8	100	3,0	85 x 24	M 2,5	87820	T 20	125	4,0	95 x 28	M 4
87810	T 10	100	3,0	85 x 24	M 3	87825	T 25	150	5,0	105 x 30	M 5
87815	T 15	125	4.0	95 x 28	M 3.5	87830	T 30	175	6.0	105 x 30	M 6

The comfortable screwdriver.

This professional tool is the solution for high torque. The PROTOP T-handle with its ergonomics, its upper voluminous part of the handle and its comfortable soft surface makes working much easier.

- Designed without any edges, the T-handle guarantees a comfortable firm grip enabling easy turning
- The soft finger guard avoids uncomfortable contact with the blade
- When using the shorter blade, the already high power load transmitted by the T-handle concept is further improved by using the longer blade as a lever
- The T-handle received the prestigious German "Red Dot Award" for product design



**two-sided optional
driving force**


**ergonomical soft
component**

finger guard

**finest high alloy
special steel**


**permanently marked
blades**

81600 Hexagonal Screwdriver single bladed




art.-no.		mm	mm
81602	2,0	100	95
81625	2,5	100	95
81603	3,0	150	95
81604	4,0	150	95
81605	5,0	200	95
81606	6,0	200	95
81608	8,0	200	120
81610	10,0	200	120

81100 Hexagonal Screwdriver dual bladed




art.-no.		mm	mm	mm
81102	2,0	100	10	95
81125	2,5	100	10	95
81103	3,0	150	15	95
81104	4,0	150	15	95
81105	5,0	200	15	95
81106	6,0	200	15	95
81108	8,0	200	20	120
81110	10,0	200	25	120

81700 Torx Screwdriver single bladed



art.-no.		mm	mm	
81709	T 9	100	95	M 3
81710	T 10	100	95	M 3
81715	T 15	100	95	M 3,5
81720	T 20	100	95	M 4
81725	T 25	110	95	M 5
81727	T 27	110	95	M 5
81730	T 30	130	95	M 6
81740	T 40	130	120	M 8
81750	T 50	130	120	M 10

81400 Torx Screwdriver dual bladed



art.-no.		mm	mm	mm	
81409	T 9	100	15	95	M 3
81410	T 10	100	15	95	M 3
81415	T 15	100	15	95	M 3,5
81420	T 20	100	15	95	M 4
81425	T 25	110	15	95	M 5
81427	T 27	110	15	95	M 5
81430	T 30	130	15	95	M 6
81440	T 40	130	20	120	M 8
81450	T 50	130	25	120	M 10

 81800 XZN Screwdriver
single bladed

art.-no.		mm	mm
81804	M 4	110	95
81805	M 5	110	95
81806	M 6	130	95
81808	M 8	130	120
81810	M 10	130	120

 81500 XZN Screwdriver
dual bladed

art.-no.		mm	mm	mm
81504	M 4	110	15	95
81505	M 5	110	15	95
81506	M 6	130	15	95
81508	M 8	130	20	120
81510	M 10	130	25	120

 81200 Nutdriver

art.-no.		mm	mm
81204	4,0	200	95
81245	4,5	200	95
81205	5,0	200	95
81255	5,5	200	95
81206	6,0	200	95
81207	7,0	200	120
81208	8,0	200	120
81209	9,0	200	120
81210	10,0	200	120
81211	11,0	200	120
81212	12,0	200	120
81213	13,0	200	120
81217	17,0	200	120

 82620 Magnetic Bit Holder
Has shaft 150 mm long and magnetic 1/4" adapter

art.-no.		mm	mm
82620	1/4"	150	95

T-handle-assortments in practical display stand, 7-pcs.

art.-no. 22322

					art.-no.
	mm	mm	mm	mm	
○	2,0	100	10	95	81102
○	2,5	100	10	95	81125
○	3,0	150	15	95	81103
○	4,0	150	15	95	81104
○	5,0	200	15	95	81105
○	6,0	200	15	95	81106
○	8,0	200	20	120	81108



Display Stand

holds 25 pcs. without screwdrivers,
500 mm wide, 170 mm deep, 460 mm high

art.-no. 23810



Pegboard Display

holds 25 pcs. without screwdrivers,
500 mm wide, 170 mm deep, 230 mm high

art.-no. 23820




The Precision Screwdriver.

Precision work requires precision tools, especially for mechanical and electronic applications. For this kind of work the screwdriver line WITTRON is ideal on account of the further developed geometry.

- Deep recess for the fingers, slimmer fast turning section and grooves which prevent the fingers slipping into the work area

- A comfortable soft surface under the rotating central head
- The colour code allows swift and easy identification of the tip style
- The blade is manufactured from high special steel with a black tip



large surfaced soft component


finest high alloy special steel

colour code


rotating central head


fast turning zone

safety insulated blade



89710 Slotted Screwdriver



art.-no.	 mm	 mm	 mm	 mm
89711	0,16 x 0,8	40	1,8	140
89712	0,18 x 1,0	40	1,8	140
89713	0,25 x 1,2	40	1,8	140
89714	0,30 x 1,5	40	1,8	140
89715	0,30 x 1,8	60	1,8	160
89716	0,40 x 2,0	60	2,0	160
89717	0,40 x 2,5	75	2,5	175

art.-no.	 mm	 mm	 mm	 mm
89718	0,50 x 3,0	75	3,0	175
89719	0,50 x 3,0	150	3,0	250
89720	0,60 x 3,5	100	3,5	200
89721	0,60 x 3,5	150	3,5	250
89722	0,80 x 4,0	100	4,0	200
89723	0,80 x 4,0	150	4,0	250
89724	0,80 x 4,0	200	4,0	300

89730 Phillips Screwdriver for PHILLIPS-RECESS screws



art.-no.	 mm	 mm	 mm	 mm
89731	PH 000	40	2,0	140
89732	PH 00	40	2,5	140
89733	PH 0	60	3,0	160

art.-no.	 mm	 mm	 mm	 mm
89734	PH 1	80	4,5	180
89735	PH 1	150	4,5	250

89740 Crosspoint Screwdriver for POZIDRIV screws



art.-no.	 mm	 mm	 mm	 mm
89741	PZ 0	60	3,0	160

art.-no.	 mm	 mm	 mm	 mm
89742	PZ 1	80	4,5	180

89750 Torx Screwdriver



art.-no.	 mm	 mm	 mm	 mm	
89751	T 5	50	2,5	150	M 1,6-2,0
89752	T 6	50	2,5	150	M 1,6-2,0
89753	T 7	50	2,5	150	M 1,6-2,0
89754	T 8	60	3,0	160	M 2,5

art.-no.	 mm	 mm	 mm	 mm	
89755	T 9	60	3,0	160	M 3
89756	T 10	80	3,0	180	M 3
89757	T 15	80	3,5	180	M 3,5
89758	T 20	100	4,0	200	M 4

89760 Hexagonal Screwdriver



art.-no.	 mm	 mm	 mm
89761	0,7	40	140
89762	0,9	40	140
89763	1,3	40	140
89764	1,5	50	150

art.-no.	 mm	 mm	 mm
89765	2,0	50	150
89766	2,5	60	160
89767	3,0	60	160

89770 Ballpoint Screwdriver



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
89771	1,5	50	2,5	150	89773	2,5	60	3,0	160
89772	2,0	50	3,0	150	89774	3,0	60	3,5	160

89780 Nutdriver



art.-no.	mm	mm	art.-no.	mm	mm
89781	1,5	60	89787	3,5	60
89782	1,8	60	89788	4,0	60
89783	2,0	60	89789	4,5	60
89784	2,5	60	89790	5,0	60
89785	3,0	60	89791	5,5	60
89786	3,2	60	89792	6,0	60



Display Stand without screwdrivers

50 pieces, 250 mm wide, 150 mm deep
This display stand can be equipped with WITTRON screwdrivers with a blade length up to 80 mm.

art.-no. 89590

Screwdriver Assortments

Screwdrivers sets in impact-resistant plastic storage box
7-pcs.

art.-no. 89321

		art.-no.
●	0,18 x 1,0	40 89712
●	0,25 x 1,2	40 89713
●	0,30 x 1,5	40 89714
●	0,30 x 1,8	60 89715
●	0,40 x 2,0	60 89716
●	0,40 x 2,5	75 89717
●	0,50 x 3,0	75 89718

art.-no. 89322

		art.-no.
●	0,30 x 1,5	40 89714
●	0,40 x 2,0	60 89716
●	0,40 x 2,5	75 89717
●	0,50 x 3,0	75 89718
+	PH 00	40 89732
+	PH 0	60 89733
+	PH 1	80 89734

art.-no. 89323

		art.-no.
⊗	T 5	50 89751
⊗	T 6	50 89752
⊗	T 7	50 89753
⊗	T 8	60 89754
⊗	T 9	60 89755
⊗	T 10	80 89756
⊗	T 15	80 89757

art.-no. 89324

		art.-no.
○	0,7	40 89761
○	0,9	40 89762
○	1,3	40 89763
○	1,5	50 89764
○	2,0	50 89765
○	2,5	60 89766
○	3,0	60 89767

art.-no. 89325

		art.-no.
●	2,5	60 89784
●	3,0	60 89785
●	3,2	60 89786
●	3,5	60 89787
●	4,0	60 89788
●	5,0	60 89790
●	5,5	60 89791



Screwdriver Assortments

Sets in easy-to-open plastic box
7-pcs.

art.-no. 89341

		art.-no.
●	0,18 x 1,0	40 89712
●	0,25 x 1,2	40 89713
●	0,30 x 1,5	40 89714
●	0,30 x 1,8	60 89715
●	0,40 x 2,0	60 89716
●	0,40 x 2,5	75 89717
●	0,50 x 3,0	75 89718

art.-no. 89342

		art.-no.
●	0,30 x 1,5	40 89714
●	0,40 x 2,0	60 89716
●	0,40 x 2,5	75 89717
●	0,50 x 3,0	75 89718
+	PH 00	40 89732
+	PH 0	60 89733
+	PH 1	80 89734

art.-no. 89343

		art.-no.
⊗	T 5	50 89751
⊗	T 6	50 89752
⊗	T 7	50 89753
⊗	T 8	60 89754
⊗	T 9	60 89755
⊗	T 10	80 89756
⊗	T 15	80 89757

art.-no. 89344

		art.-no.
○	0,7	40 89761
○	0,9	40 89762
○	1,3	40 89763
○	1,5	50 89764
○	2,0	50 89765
○	2,5	60 89766
○	3,0	60 89767

art.-no. 89345

		art.-no.
●	2,5	60 89784
●	3,0	60 89785
●	3,2	60 89786
●	3,5	60 89787
●	4,0	60 89788
●	5,0	60 89790
●	5,5	60 89791



VDE Screwdrivers

conforming with DIN EN 60900. Individually tested in water to 10,000 V. Cold impact testing at -40°C.

89930 Slotted Screwdriver



art.-no.	mm	mm	mm	mm
89935	0,3 x 1,5	40	1,8	140
89931	0,3 x 1,8	60	1,8	160
89932	0,4 x 2,0	60	2,0	160

art.-no.	mm	mm	mm	mm
89933	0,4 x 2,5	75	2,5	175
89934	0,5 x 3,0	75	3,0	175

89940 Phillips Screwdriver for PHILLIPS-RECESS screws



art.-no.	mm	mm	mm	mm
89942	PH 00	40	2,5	140

art.-no.	mm	mm	mm	mm
89941	PH 0	60	3,0	160

89920 Torx Screwdriver



art.-no.	mm	mm	mm	mm	
89921	T 5	40	2,5	140	M 1,6-2,0
89922	T 6	40	2,5	140	M 1,6-2,0
89923	T 7	40	2,5	140	M 1,6-2,0
89924	T 8	60	3,0	160	M 2,5

art.-no.	mm	mm	mm	mm	
89925	T 9	60	3,0	160	M 3
89926	T 10	60	3,0	160	M 3
89927	T 15	75	3,5	175	M 3,5



Display Stand without screwdrivers

50 pieces, 250 mm wide, 150 mm deep
This display stand can be equipped with WITTRON VDE screwdrivers with a blade length up to 80 mm.

art.-no. 89591



AC 1000 V



WITTRON^{VDE}

Screwdriver Assortments

Screwdrivers sets in impact-resistant plastic storage box
7-pcs.

art.-no. 89367

		art.-no.
	0,3 x 1,5	40 89935
	0,3 x 1,8	60 89931
	0,4 x 2,0	60 89932
	0,4 x 2,5	75 89933
	0,5 x 3,0	75 89934
	PH 00	40 89942
	PH 0	60 89941

art.-no. 89368

		art.-no.
	T 5	40 89921
	T 6	40 89922
	T 7	40 89923
	T 8	60 89924
	T 9	60 89925
	T 10	60 89926
	T 15	75 89927



Screwdriver Assortments

Sets in easy-to-open plastic box
7-pcs.

art.-no. 89377

		art.-no.
	0,3 x 1,5	40 89935
	0,3 x 1,8	60 89931
	0,4 x 2,0	60 89932
	0,4 x 2,5	75 89933
	0,5 x 3,0	75 89934
	PH 00	40 89942
	PH 0	60 89941

art.-no. 89378

		art.-no.
	T 5	40 89921
	T 6	40 89922
	T 7	40 89923
	T 8	60 89924
	T 9	60 89925
	T 10	60 89926
	T 15	75 89927



ESD

Electrostatic discharge is not to be underestimated. Discharge of such voltages between two key materials can destroy or damage delicate electric components. The ESD screwdriver (electrostatic discharge) helps to avoid this problem.


- Screwdriver handles made from a special, highly conductive material

- Essential for deflecting charges in a specially prepared safety area and a fully grounded workplace, and with a contact ribbon around the wrist
- Danger / Caution - Electric Shock: Avoid contact with the live parts, because the handle is conductive



85540 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm	art.-no.	mm	mm	mm	mm
85541	0,5 x 3,0	75	3,0	80 x 18	85543	0,8 x 4,0	125	4,0	90 x 22
85542	0,6 x 3,5	100	3,5	90 x 22	85544	1,0 x 5,5	150	5,5	100 x 25

94240 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	+	mm	mm	mm	art.-no.	+	mm	mm	mm
94241	PH 0	60	3,0	80 x 18	94243	PH 2	100	6,0	110 x 27
94242	PH 1	80	4,5	100 x 25					

98940 Torx Screwdriver



art.-no.	*	mm	mm	mm	art.-no.	*	mm	mm	mm
98941	T 15	80	3,5	90 x 22	98944	T 27	115	5,5	100 x 25
98942	T 20	100	4,0	90 x 22	98945	T 30	115	6,0	100 x 25
98943	T 25	100	4,5	90 x 22	98946	T 40	115	7,0	110 x 27

89410 Slotted Screwdriver



art.-no.	mm	mm	mm	mm
89412	0,18 x 1,0	40	1,8	140
89413	0,25 x 1,2	40	1,8	140
89414	0,30 x 1,5	40	1,8	140
89415	0,30 x 1,8	60	1,8	160

art.-no.	mm	mm	mm	mm
89416	0,40 x 2,0	60	2,0	160
89417	0,40 x 2,5	75	2,5	175
89418	0,50 x 3,0	75	3,0	175

89430 Phillips Screwdriver

for PHILLIPS-RECESS screws



art.-no.	mm	mm	mm
89432	PH 00	40	2,5
89433	PH 0	60	3,0

art.-no.	mm	mm	mm
89434	PH 1	80	4,5
89435	PH 1	150	4,5

89450 Torx Screwdriver



art.-no.	mm	mm	mm	mm
89451	T 5	50	2,5	150
89452	T 6	50	2,5	150
89453	T 7	50	2,5	150
89454	T 8	60	3,0	160

art.-no.	mm	mm	mm	mm
89455	T 9	60	3,0	160
89456	T 10	80	3,0	180
89457	T 15	80	3,5	180
89458	T 20	100	4,0	200

89480 Nutdriver



art.-no.	mm	mm
89485	3,0	60
89487	3,5	60
89488	4,0	60
89489	4,5	60

art.-no.	mm	mm
89490	5,0	60
89491	5,5	60
89492	6,0	60

Screwdriver Assortment

Screwdriver set in impact-resistant plastic storage box
7-pcs.

art.-no. 89313

	mm	art.-no.
0,30 x 1,5	40	89414
0,40 x 2,0	60	89416
0,40 x 2,5	75	89417
0,50 x 3,0	75	89418
PH 00	40	89432
PH 0	60	89433
PH 1	80	89434



Miscellaneous Tools

92501 Round Awl

Blade is made from chrome-vanadium steel, bright nickel plated. Handle is made from impact-resistant plastic.

art.-no.	 mm	 mm	 mm
92501	50	3,0	55 x 30



92500 Round Awl

Blade is made from chrome-vanadium steel, bright nickel plated. Handle is made from impact-resistant plastic.

art.-no.	 mm	 mm	 mm
92500	100	6,0	85 x 34



92900 Square Reamer

Blade is made from chrome-vanadium steel, bright nickel plated. Handle is made from impact-resistant plastic.


art.-no.	 mm	 mm	 mm
92900	100	6,0	85 x 34



84300 Reversible Screwdriver

Blade is made from chrome-vanadium steel, zinc plated. Handle is made from impact-resistant plastic.

art.-no.	 mm	 mm	 mm	 mm
84301	SB 6,0 - PH 2	65	6,0	90 x 21
84302	PH 1 - PH 2	65	6,0	90 x 21
84304	SB 6,0 - PZ 2	65	6,0	90 x 21
84305	PZ 1 - PZ 2	65	6,0	90 x 21



Picks & Hooks

These useful tools are aids for a multitude of different purposes and fields of application. E.g. the loosening of tightly seated gaskets or packing rings in the automotive industry. For the separation of cables in a cable harness in the electrical trade and also for use in the sanitary trade, as well as many other occupations and work places.



Picks & Hooks - assortments

art.-no. 691001

4-pcs.

art.-no.	 mm	Ø mm	 mm	art.-no.	 mm	Ø mm	 mm
91001	70	3,5	75 x 21	91002	70	3,5	75 x 21
91003	70	3,5	75 x 21	91101	70	3,5	75 x 21

Pick



art.-no.	 mm	Ø mm	 mm
91001	70	3,5	75 x 21

Pick 45°



art.-no.	 mm	Ø mm	 mm
91003	70	3,5	75 x 21

Pick 90°



art.-no.	 mm	Ø mm	 mm
91002	70	3,5	75 x 21

Hook




art.-no.	 mm	Ø mm	 mm
91101	70	3,5	75 x 21

Offset Screwdriver

40100 Offset Screwdriver 0° / 90°

For slotted screws. Bright nickel plated



art.-no.	 mm	Ø mm	 mm
40101	0,65 x 5,0	4,5	100
40102	0,8 x 6,0	6,0	125
40103	1,0 x 8,0	7,0	150
40104	1,4 x 10,0	9,0	175
40105	2,0 x 13,0	10,0	200

41100 Offset Screwdriver

For Phillips screws. Bright nickel plated



art.-no.	 mm	Ø mm	 mm
41101	PH 1 + PH 2	6,0	100
41102	PH 3 + PH 4	10,0	150

42100 Combi Offset Screwdriver


For slotted and Phillips screws. Bright nickel plated



art.-no.	 mm	 mm	Ø mm	 mm
42101	PH 1	5,0	4,5	100
42102	PH 2	6,0	6,0	100

43000 Hexagonal Key Wrench

Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards



art.-no.	Ø	 mm	art.-no.	Ø	 mm
43001	1,5	47 x 15	43017	13,0	145 x 63
43002	2,0	52 x 18	43018	14,0	154 x 70
43003	2,5	59 x 21	43019	15,0	161 x 73
43004	3,0	66 x 23	43020	16,0	168 x 76
43005	3,5	69,5 x 25,5	43021	17,0	177 x 80
43006	4,0	74 x 29	43022	18,0	188 x 84
43007	4,5	80 x 30,5	43023	19,0	199 x 89
43008	5,0	85 x 33	43024	20,0	200 x 90
43009	5,5	90,5 x 35,5	43025	21,0	211 x 96
43010	6,0	96 x 38	43026	22,0	222 x 102
43011	7,0	102 x 41	43027	24,0	248 x 114
43012	8,0	108 x 44	43028	27,0	277 x 127
43013	9,0	114 x 47	43029	30,0	310 x 142
43014	10,0	122 x 50	43030	32,0	347 x 157
43015	11,0	129 x 53	43031	36,0	391 x 176
43016	12,0	137 x 47			

Offset Screwdriver

43100 Hexagonal Key Wrench long execution


Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards



art.-no.	mm	art.-no.	mm
43101	1,5 93 x 15	43111	7,0 197 x 41
43102	2,0 102 x 18	43112	8,0 208 x 44
43103	2,5 116 x 21	43113	9,0 219 x 47
43104	3,0 129 x 23	43114	10,0 234 x 50
43105	3,5 140 x 25,5	43115	11,0 247 x 53
43106	4,0 144 x 29	43116	12,0 262 x 47
43107	4,5 156 x 30,5	43117	13,0 277 x 63
43108	5,0 165 x 33	43118	14,0 294 x 70
43109	5,5 175,5 x 35,5	43119	17,0 337 x 80
43110	6,0 186 x 38	43120	19,0 379 x 89

43700 Hexagonal Key Wrench with Ballpoint

Premium chrome-vanadium steel, steel grey



art.-no.	mm	art.-no.	mm
43715	1,5 76 x 14	43705	5,0 130 x 28
43702	2,0 81 x 16	43706	6,0 150 x 32
43725	2,5 89 x 18	43708	8,0 170 x 36
43703	3,0 95 x 20	43710	10,0 190 x 40
43704	4,0 110 x 25	43712	12,0 210 x 45

43600 XZN Offset Screwdriver

Premium chrome-vanadium steel, burnished, to DIN 65253 standard



art.-no.	mm	art.-no.	mm
43601	M 5 72 x 25	43604	M 10 100 x 36
43602	M 6 80 x 28	43605	M 12 112 x 40
43603	M 8 90 x 32	43606	M 14 125 x 45

39400 Torx-Offset Screwdriver

Premium chrome-vanadium steel, burnished



art.-no.	mm	art.-no.	mm
39454	T 5 44 x 14 M 2	39462	T 25 60 x 20 M 5
39455	T 6 44 x 14 M 2	39463	T 27 64 x 22 M 5
39456	T 7 48 x 16 M 2,5	39464	T 30 70 x 24 M 6
39457	T 8 48 x 16 M 2,5	39465	T 40 76 x 26 M 8
39458	T 9 48 x 16 M 3	39466	T 45 83 x 29 M 8-10
39459	T 10 51 x 17 M 3	39467	T 50 95 x 32 M 10
39460	T 15 54 x 18 M 3,5	39468	T 55 108 x 35 M 12
39461	T 20 57 x 19 M 4	39469	T 60 120 x 38 M 14

Offset Screwdriver Sets



Hexagonal Key Wrench

Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards. Comes in plastic dispenser

art.-no.
45020



7-pcs.
1,5-2-2,5-3-4-5-6

45021

9-pcs.
1,5-2-2,5-3-4-5-6-8-10




Hexagonal Key Wrench long execution

Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards. Comes in plastic dispenser

art.-no.
45030



9-pcs.
1,5-2-2,5-3-4-5-6-8-10



Ballpoint Offset Screwdriver Set

Premium chrome-vanadium steel, steel grey.
Comes in plastic dispenser

art.-no.
45031



9-pcs.
1,5-2-2,5-3-4-5-6-8-10



Offset Screwdriver Sets



TORX Offset Screwdriver Set

Premium chrome-vanadium steel, burnished.
Comes in plastic dispenser

art.-no.
45032



8-pcs.

T 9, T 10, T 15, T 20, T 25, T 27, T 30, T 40



TORX Ballpoint Offset Screwdriver Set

Premium chrome-vanadium steel, steel grey.
Comes in plastic dispenser

art.-no.
45033



8-pcs.

T 9, T 10, T 15, T 20, T 25, T 27, T 30, T 40



Hexagonal Key Wrench

Premium chrome-vanadium steel, nickel plated with
angular pattern to DIN ISO 2936 standards. Comes on
combi-clip

art.-no.
39452



7-pcs.

2,5-3-4-5-6-8-10



TORX Offset Screwdriver Set

Premium chrome-vanadium steel, burnished.
Comes on combi-clip

art.-no.
39453



8-pcs.

T 9, T 10, T 15, T 20, T 25, T 27, T 30, T 40

Displays for screwdrivers



Display Stand without screwdrivers

50 pieces, 425 mm wide, 233 mm deep, 445 mm high
exemplary assortment - for MAXXPRO, MAXXPROplus, PROTOP, PROTOPplus, TRIAX

art.-no. 22001



Display Stand without screwdrivers

50 pieces, 425 mm wide, 233 mm deep, 445 mm high
exemplary assortment - for MAXXPRO VDE, PROTOP VDE

art.-no. 22001



Display Stand without screwdrivers

holds 25 pcs. without screwdrivers,
500 mm wide, 170 mm deep, 460 mm high

art.-no. 23810

Displays for screwdrivers

Display Stand without screwdrivers

50 pieces, 390 mm wide, 235 mm deep
exemplary assortment - only for TOPLUS

art.-no. 21965



Display Stand without screwdrivers

50 pieces, 250 mm wide, 150 mm deep
This display stand can be equipped with WITTRON screwdrivers
with a blade length up to 80 mm.


art.-no. 89590



Display Stand without screwdrivers

50 pieces, 250 mm wide, 150 mm deep
This display stand can be equipped with WITTRON VDE screwdrivers
with a blade length up to 80 mm.

art.-no. 89591



Displays for screwdrivers



Pegboard Display without screwdrivers

with 11 peg hooks and bar code header,
500 mm wide, 360 mm deep
exemplary assortment - for MAXXPRO, MAXXPROplus,
PROTOP, PROTOPplus, TRIAX

art.-no. 85800



Pegboard Display without screwdrivers

with 11 peg hooks and bar code header,
500 mm wide, 360 mm deep
exemplary assortment - for MAXXPRO VDE, PROTOP VDE

art.-no. 85800



Pegboard Display without screwdrivers

with 11 peg hooks and bar code header,
500 mm wide, 360 mm deep
exemplary assortment - for TOPLUS, wooden-handled screwdrivers

art.-no. 85800

Displays for screwdrivers



Display for shelf system hooks without screwdrivers

140 pieces, 1000 mm wide, approx. 260 mm deep
exemplary assortment - for MAXXPRO, MAXXPROplus, MAXXPRO VDE, PROTOP, PROTOPplus, PROTOP VDE, TOPLUS, TRIAX,
wooden-handled screwdrivers

art.-no. 22491




Display for shelf system hooks without screwdrivers

280 pieces, 1000 mm wide, approx. 460 mm deep
exemplary assortment - for MAXXPRO, MAXXPROplus, MAXXPRO VDE, PROTOP, PROTOPplus, PROTOP VDE, TOPLUS, TRIAX,
wooden-handled screwdrivers

art.-no. 22490

Witte's Bit programme.

An optimized torque transmission, high torque resistance and extremely long working life are not without reason. It all depends on the quality of the steels, the special hardening and tempering treatments and the perfect fitting of the bit. Witte's bit programme does not allow for any compromises and offers the correct solution for every requirement.



BITFLEX

The narrow recessed waist section reliably absorbs sudden and exceeded peaks in torque overload. Thereby, a longer working life than experienced with normal bits.



BITFLEX TIN

This coating has a hardness in the range of 2800 HV - especially suitable in industrial use for continual screw driving. Due to their extremely long working life and the lack of constant bit changing, important cost savings are made.



STANDARD

For screw-driving with high and sudden increasing torque, e.g. when driving screws with metal fittings into wood and when driving fastening screws with metric or other threads.



STANDARD E „Extra Hard“

For screw-driving with low and equally increasing torques, e.g. with wood, tin or plaster board sheets.





		Phillips
		Pozidriv
		Modul PH
		Modul PZ
		Slotted
		Hexagon Head
		Hexagon External
		Torx
		Torx TR
		XZN
		Square
		TRI-WING
		TORQ-SET
		Five Star



Phillips


TIN

BITFLEX

with torque absorption zone between drive and tip

art.-no.	+	mm	drive 1/4"
28421	PH 1	25	6,3 mm
28422	PH 2	25	6,3 mm
28423	PH 3	25	6,3 mm



BITFLEX

with torque absorption zone between drive and tip

art.-no.	+	mm	drive 1/4"
28021	PH 1	25	6,3 mm
28022	PH 2	25	6,3 mm
28023	PH 3	25	6,3 mm



art.-no.	+	mm	drive 1/4"
27018	PH 0	25	C6,3 DIN3126 / ISO1173
27020	PH 1	25	C6,3 DIN3126 / ISO1173
27021	PH 2	25	C6,3 DIN3126 / ISO1173
27022	PH 3	25	C6,3 DIN3126 / ISO1173
27012	PH 2	32	C6,3 DIN3126 / ISO1173
27013	PH 3	32	C6,3 DIN3126 / ISO1173
27023	PH 4	32	C6,3 DIN3126 / ISO1173



reduced tip

art.-no.	+	mm	drive 1/4"
27036	PH 2	25	C6,3 DIN3126 / ISO1173



extra hard

art.-no.	+	mm	drive 1/4"
27120	PH 1	25	C6,3 DIN3126 / ISO1173
27121	PH 2	25	C6,3 DIN3126 / ISO1173
27122	PH 3	25	C6,3 DIN3126 / ISO1173



extra hard
reduced tip

art.-no.	+	mm	drive 1/4"
27123	PH 2	25	C6,3 DIN3126 / ISO1173


TIN

art.-no.	+	mm	drive 1/4"
27551	PH 1	50	E6,3 DIN3126 / ISO1173
27552	PH 2	50	E6,3 DIN3126 / ISO1173
27553	PH 3	50	E6,3 DIN3126 / ISO1173



art.-no.	+	mm	drive 1/4"
27520	PH 1	50	E6,3 DIN3126 / ISO1173
27521	PH 2	50	E6,3 DIN3126 / ISO1173
27522	PH 3	50	E6,3 DIN3126 / ISO1173
27523	PH 4	50	E6,3 DIN3126 / ISO1173



Phillips



art.-no.	+	mm	drive 1/4"
27450	PH 1	70	E6,3 DIN3126 / ISO1173
27455	PH 2	70	E6,3 DIN3126 / ISO1173
27460	PH 3	70	E6,3 DIN3126 / ISO1173
27451	PH 1	90	E6,3 DIN3126 / ISO1173
27456	PH 2	90	E6,3 DIN3126 / ISO1173
27461	PH 3	90	E6,3 DIN3126 / ISO1173
27452	PH 1	110	E6,3 DIN3126 / ISO1173
27457	PH 2	110	E6,3 DIN3126 / ISO1173
27462	PH 3	110	E6,3 DIN3126 / ISO1173
27453	PH 1	125	E6,3 DIN3126 / ISO1173
27458	PH 2	125	E6,3 DIN3126 / ISO1173
27463	PH 3	125	E6,3 DIN3126 / ISO1173
27454	PH 1	150	E6,3 DIN3126 / ISO1173
27459	PH 2	150	E6,3 DIN3126 / ISO1173
27464	PH 3	150	E6,3 DIN3126 / ISO1173

art.-no.	+	mm	drive 5/16"
27801	PH 1	32	C8 DIN3126
27802	PH 2	32	C8 DIN3126
27803	PH 3	32	C8 DIN3126
27804	PH 4	32	C8 DIN3126



art.-no.	+	mm	drive 5,5 mm
30691	PH 1	50	A5,5 DIN3126
30692	PH 2	50	A5,5 DIN3126
30693	PH 3	50	A5,5 DIN3126

art.-no.	+	mm	drive 7 mm
30791	PH 1	53	G7 DIN3126
30792	PH 2	53	G7 DIN3126
30793	PH 3	53	G7 DIN3126



Pozidriv


TIN


BITFLEX

with torque absorption zone between drive and tip

art.-no.	+	mm	drive 1/4"
28445	PZ 1	25	6,3 mm
28446	PZ 2	25	6,3 mm
28447	PZ 3	25	6,3 mm

BITFLEX

with torque absorption zone between drive and tip

art.-no.	+	mm	drive 1/4"
28045	PZ 1	25	6,3 mm
28046	PZ 2	25	6,3 mm
28047	PZ 3	25	6,3 mm



reduced tip

art.-no.	+	mm	drive 1/4"
27043	PZ 0	25	C6,3 DIN3126 / ISO1173
27045	PZ 1	25	C6,3 DIN3126 / ISO1173
27046	PZ 2	25	C6,3 DIN3126 / ISO1173
27047	PZ 3	25	C6,3 DIN3126 / ISO1173
27052	PZ 2	32	C6,3 DIN3126 / ISO1173
27053	PZ 3	32	C6,3 DIN3126 / ISO1173
27048	PZ 4	32	C6,3 DIN3126 / ISO1173

art.-no.	+	mm	drive 1/4"
27057	PZ 2	25	C6,3 DIN3126 / ISO1173


Pozidriv


extra hard


 extra hard
reduced tip

art.-no.	+	mm	drive 1/4"
27245	PZ 1	25	C6,3 DIN3126 / ISO1173
27246	PZ 2	25	C6,3 DIN3126 / ISO1173
27247	PZ 3	25	C6,3 DIN3126 / ISO1173

art.-no.	+	mm	drive 1/4"
27248	PZ 2	25	C6,3 DIN3126 / ISO1173


TIN


art.-no.	+	mm	drive 1/4"
27541	PZ 1	50	E6,3 DIN3126 / ISO1173
27542	PZ 2	50	E6,3 DIN3126 / ISO1173
27543	PZ 3	50	E6,3 DIN3126 / ISO1173

art.-no.	+	mm	drive 1/4"
27545	PZ 1	50	E6,3 DIN3126 / ISO1173
27546	PZ 2	50	E6,3 DIN3126 / ISO1173
27547	PZ 3	50	E6,3 DIN3126 / ISO1173
27548	PZ 4	50	E6,3 DIN3126 / ISO1173



art.-no.	+	mm	drive 1/4"
27560	PZ 1	70	E6,3 DIN3126 / ISO1173
27565	PZ 2	70	E6,3 DIN3126 / ISO1173
27570	PZ 3	70	E6,3 DIN3126 / ISO1173
27561	PZ 1	90	E6,3 DIN3126 / ISO1173
27566	PZ 2	90	E6,3 DIN3126 / ISO1173
27571	PZ 3	90	E6,3 DIN3126 / ISO1173
27562	PZ 1	110	E6,3 DIN3126 / ISO1173
27567	PZ 2	110	E6,3 DIN3126 / ISO1173
27572	PZ 3	110	E6,3 DIN3126 / ISO1173
27563	PZ 1	125	E6,3 DIN3126 / ISO1173
27568	PZ 2	125	E6,3 DIN3126 / ISO1173
27573	PZ 3	125	E6,3 DIN3126 / ISO1173
27564	PZ 1	150	E6,3 DIN3126 / ISO1173
27569	PZ 2	150	E6,3 DIN3126 / ISO1173
27574	PZ 3	150	E6,3 DIN3126 / ISO1173

art.-no.	+	mm	drive 5/16"
27811	PZ 1	32	C8 DIN3126
27812	PZ 2	32	C8 DIN3126
27813	PZ 3	32	C8 DIN3126
27814	PZ 4	32	C8 DIN3126





art.-no.	+	mm	drive 5,5 mm
30701	PZ 1	50	A5,5 DIN3126
30702	PZ 2	50	A5,5 DIN3126
30703	PZ 3	50	A5,5 DIN3126

art.-no.	+	mm	drive 7 mm
30801	PZ 1	53	G7 DIN3126
30802	PZ 2	53	G7 DIN3126
30803	PZ 3	53	G7 DIN3126


 Slotted

TIN


art.-no.	 mm	 mm	drive 1/4" 
26431	0,6 x 4,5	25	C6,3 DIN3126 / ISO1173
26432	0,8 x 5,5	25	C6,3 DIN3126 / ISO1173
26434	1,2 x 6,5	25	C6,3 DIN3126 / ISO1173


art.-no.	 mm	 mm	drive 1/4" 
26410	0,5 x 4,0	25	C6,3 DIN3126 / ISO1173
26411	0,6 x 4,5	25	C6,3 DIN3126 / ISO1173
26412	0,8 x 5,5	25	C6,3 DIN3126 / ISO1173
26413	1,0 x 6,0	25	C6,3 DIN3126 / ISO1173
26414	1,2 x 6,5	25	C6,3 DIN3126 / ISO1173
26415	1,6 x 8,0	25	C6,3 DIN3126 / ISO1173
26416	1,6 x 9,0	38	C6,3 DIN3126 / ISO1173



TIN


art.-no.	 mm	 mm	drive 1/4" 
27531	0,6 x 4,5	50	E6,3 DIN3126 / ISO1173
27532	0,8 x 5,5	50	E6,3 DIN3126 / ISO1173
27534	1,2 x 6,5	50	E6,3 DIN3126 / ISO1173


art.-no.	 mm	 mm	drive 1/4" 
27510	0,5 x 4,0	50	E6,3 DIN3126 / ISO1173
27511	0,6 x 4,5	50	E6,3 DIN3126 / ISO1173
27512	0,8 x 5,5	50	E6,3 DIN3126 / ISO1173
27513	1,0 x 6,0	50	E6,3 DIN3126 / ISO1173
27514	1,2 x 6,5	50	E6,3 DIN3126 / ISO1173
27515	1,6 x 8,0	50	E6,3 DIN3126 / ISO1173
27516	1,6 x 9,0	50	E6,3 DIN3126 / ISO1173



art.-no.	 mm	 mm	drive 5/16" 
27828	0,8 x 5,5	41	C8 DIN3126
27831	1,0 x 6,0	41	C8 DIN3126
27829	1,2 x 6,5	41	C8 DIN3126
27832	1,6 x 8,0	41	C8 DIN3126
27833	1,6 x 10,0	41	C8 DIN3126
27834	2,0 x 12,0	41	C8 DIN3126

art.-no.	 mm	 mm	drive 5,5 mm 
30680	0,5 x 4,0	50	A5,5 DIN3126
30681	0,6 x 4,5	50	A5,5 DIN3126
30682	0,8 x 5,5	50	A5,5 DIN3126
30683	1,0 x 6,0	50	A5,5 DIN3126
30684	1,2 x 6,5	50	A5,5 DIN3126
30685	1,6 x 8,0	50	A5,5 DIN3126



art.-no.	 mm	 mm	drive 7 mm 
30780	0,5 x 4,0	53	G7 DIN3126
30781	0,6 x 4,5	53	G7 DIN3126
30782	0,8 x 5,5	53	G7 DIN3126
30783	1,0 x 6,0	53	G7 DIN3126
30784	1,2 x 6,5	53	G7 DIN3126
30785	1,6 x 8,0	53	G7 DIN3126


Torx

TIN


art.-no.			drive 1/4"
29513	T 10	25	C6,3 DIN3126 / ISO1173
29514	T 15	25	C6,3 DIN3126 / ISO1173
29515	T 20	25	C6,3 DIN3126 / ISO1173
29516	T 25	25	C6,3 DIN3126 / ISO1173
29517	T 27	25	C6,3 DIN3126 / ISO1173
29518	T 30	25	C6,3 DIN3126 / ISO1173
29519	T 40	25	C6,3 DIN3126 / ISO1173

art.-no.			drive 1/4"
29459	T 4	25	C6,3 DIN3126 / ISO1173
29460	T 5	25	C6,3 DIN3126 / ISO1173
29490	T 6	25	C6,3 DIN3126 / ISO1173
29495	T 7	25	C6,3 DIN3126 / ISO1173
29501	T 8	25	C6,3 DIN3126 / ISO1173
29502	T 9	25	C6,3 DIN3126 / ISO1173
29503	T 10	25	C6,3 DIN3126 / ISO1173
29504	T 15	25	C6,3 DIN3126 / ISO1173
29505	T 20	25	C6,3 DIN3126 / ISO1173
29506	T 25	25	C6,3 DIN3126 / ISO1173
29507	T 27	25	C6,3 DIN3126 / ISO1173
29508	T 30	25	C6,3 DIN3126 / ISO1173
29509	T 40	25	C6,3 DIN3126 / ISO1173


TIN


art.-no.			drive 1/4"
29613	T 10	50	E6,3 DIN3126 / ISO1173
29614	T 15	50	E6,3 DIN3126 / ISO1173
29615	T 20	50	E6,3 DIN3126 / ISO1173
29616	T 25	50	E6,3 DIN3126 / ISO1173
29617	T 27	50	E6,3 DIN3126 / ISO1173
29618	T 30	50	E6,3 DIN3126 / ISO1173
29619	T 40	50	E6,3 DIN3126 / ISO1173

art.-no.			drive 1/4"
29603	T 10	50	E6,3 DIN3126 / ISO1173
29604	T 15	50	E6,3 DIN3126 / ISO1173
29605	T 20	50	E6,3 DIN3126 / ISO1173
29606	T 25	50	E6,3 DIN3126 / ISO1173
29607	T 27	50	E6,3 DIN3126 / ISO1173
29608	T 30	50	E6,3 DIN3126 / ISO1173
29609	T 40	50	E6,3 DIN3126 / ISO1173



art.-no.			drive 1/4"
29671	T 10	70	E6,3 DIN3126 / ISO1173
29672	T 15	70	E6,3 DIN3126 / ISO1173
29673	T 20	70	E6,3 DIN3126 / ISO1173
29674	T 25	70	E6,3 DIN3126 / ISO1173
29675	T 27	70	E6,3 DIN3126 / ISO1173
29676	T 30	70	E6,3 DIN3126 / ISO1173
29677	T 40	70	E6,3 DIN3126 / ISO1173
29681	T 10	90	E6,3 DIN3126 / ISO1173
29682	T 15	90	E6,3 DIN3126 / ISO1173
29683	T 20	90	E6,3 DIN3126 / ISO1173
29684	T 25	90	E6,3 DIN3126 / ISO1173
29685	T 27	90	E6,3 DIN3126 / ISO1173
29686	T 30	90	E6,3 DIN3126 / ISO1173
29687	T 40	90	E6,3 DIN3126 / ISO1173
29691	T 10	150	E6,3 DIN3126 / ISO1173
29692	T 15	150	E6,3 DIN3126 / ISO1173
29693	T 20	150	E6,3 DIN3126 / ISO1173
29694	T 25	150	E6,3 DIN3126 / ISO1173
29695	T 27	150	E6,3 DIN3126 / ISO1173
29696	T 30	150	E6,3 DIN3126 / ISO1173
29697	T 40	150	E6,3 DIN3126 / ISO1173

art.-no.			drive 5/16"
27820	T 25	35	C8 DIN3126
27821	T 27	35	C8 DIN3126
27822	T 30	35	C8 DIN3126
27823	T 40	35	C8 DIN3126
27824	T 45	35	C8 DIN3126
27825	T 50	35	C8 DIN3126
27827	T 55	35	C8 DIN3126



Torx Tamper Resistant


TIN


art.-no.			drive 1/4" 
29593	T 10 TR	25	C6,3 DIN3126 / ISO1173
29594	T 15 TR	25	C6,3 DIN3126 / ISO1173
29595	T 20 TR	25	C6,3 DIN3126 / ISO1173
29596	T 25 TR	25	C6,3 DIN3126 / ISO1173
29597	T 27 TR	25	C6,3 DIN3126 / ISO1173
29598	T 30 TR	25	C6,3 DIN3126 / ISO1173
29599	T 40 TR	25	C6,3 DIN3126 / ISO1173

art.-no.			drive 1/4" 
29477	T 7 TR	25	C6,3 DIN3126 / ISO1173
29478	T 8 TR	25	C6,3 DIN3126 / ISO1173
29479	T 9 TR	25	C6,3 DIN3126 / ISO1173
29480	T 10 TR	25	C6,3 DIN3126 / ISO1173
29481	T 15 TR	25	C6,3 DIN3126 / ISO1173
29482	T 20 TR	25	C6,3 DIN3126 / ISO1173
29483	T 25 TR	25	C6,3 DIN3126 / ISO1173
29484	T 27 TR	25	C6,3 DIN3126 / ISO1173
29485	T 30 TR	25	C6,3 DIN3126 / ISO1173
29486	T 40 TR	25	C6,3 DIN3126 / ISO1173



Five Star



art.-no.		 mm	drive 1/4" 
26870	IPR 10	25	C6,3 DIN 3126 / ISO1173
26871	IPR 15	25	C6,3 DIN 3126 / ISO1173
26872	IPR 20	25	C6,3 DIN 3126 / ISO1173
26873	IPR 25	25	C6,3 DIN 3126 / ISO1173
26874	IPR 27	25	C6,3 DIN 3126 / ISO1173
26875	IPR 30	25	C6,3 DIN 3126 / ISO1173
26876	IPR 40	25	C6,3 DIN 3126 / ISO1173




Hexagon Head



art.-no.		 mm	drive 1/4" 
27080	1,5	25	C6,3 DIN3126 / ISO1173
27081	2,0	25	C6,3 DIN3126 / ISO1173
27082	2,5	25	C6,3 DIN3126 / ISO1173
27083	3,0	25	C6,3 DIN3126 / ISO1173
27084	4,0	25	C6,3 DIN3126 / ISO1173
27085	5,0	25	C6,3 DIN3126 / ISO1173
27086	6,0	25	C6,3 DIN3126 / ISO1173
27087	8,0	25	C6,3 DIN3126 / ISO1173

			drive 1/4" 	
art.-no.		mm		
27193	3,0	50	E6,3 DIN3126 / ISO1173	
27194	4,0	50	E6,3 DIN3126 / ISO1173	
27195	5,0	50	E6,3 DIN3126 / ISO1173	
27196	6,0	50	E6,3 DIN3126 / ISO1173	
27198	8,0	50	E6,3 DIN3126 / ISO1173	



art.-no.		 mm	drive 5/16" 
27851	4,0	30	C8 DIN3126
27852	5,0	30	C8 DIN3126
27853	6,0	30	C8 DIN3126
27854	7,0	30	C8 DIN3126
27855	8,0	30	C8 DIN3126
27856	10,0	30	C8 DIN3126

			drive 5,5 mm 
art.-no.		mm	
30753	3,0	50	A5,5 DIN3126
30754	4,0	50	A5,5 DIN3126
30755	5,0	50	A5,5 DIN3126
30756	6,0	50	A5,5 DIN3126
30758	8,0	50	A5,5 DIN3126



Ballpoint



art.-no.	Ø	mm	drive 1/4"
27183	3,0	50	E6,3 DIN3126 / ISO1173
27184	4,0	50	E6,3 DIN3126 / ISO1173
27185	5,0	50	E6,3 DIN3126 / ISO1173
27186	6,0	50	E6,3 DIN3126 / ISO1173



Hexagon External



art.-no.	Ø	mm	drive 1/4"
26231	5,0	45	E6,3 DIN3126 / ISO1173
26232	5,5	45	E6,3 DIN3126 / ISO1173
26233	6,0	45	E6,3 DIN3126 / ISO1173
26234	7,0	45	E6,3 DIN3126 / ISO1173
26235	8,0	45	E6,3 DIN3126 / ISO1173
26236	9,0	45	E6,3 DIN3126 / ISO1173
26237	10,0	45	E6,3 DIN3126 / ISO1173
26238	11,0	45	E6,3 DIN3126 / ISO1173
26239	12,0	45	E6,3 DIN3126 / ISO1173
26240	13,0	45	E6,3 DIN3126 / ISO1173
26241	1/4"	45	E6,3 DIN3126 / ISO1173
26242	3/8"	45	E6,3 DIN3126 / ISO1173
26243	5/16"	45	E6,3 DIN3126 / ISO1173



XZN



art.-no.	Ø	mm	drive 1/4"
27414	M 4	25	C6,3 DIN3126 / ISO1173
27415	M 5	25	C6,3 DIN3126 / ISO1173
27416	M 6	25	C6,3 DIN3126 / ISO1173
27418	M 8	25	C6,3 DIN3126 / ISO1173

art.-no.	Ø	mm	drive 5/16"
27840	M 4	35	C8 DIN3126
27841	M 5	35	C8 DIN3126
27842	M 6	35	C8 DIN3126
27843	M 8	35	C8 DIN3126
27844	M 10	35	C8 DIN3126
27845	M 12	35	C8 DIN3126



Square



art.-no.	Ø	mm	drive 1/4"
27091	1	25	C6,3 DIN3126 / ISO1173
27092	2	25	C6,3 DIN3126 / ISO1173
27093	3	25	C6,3 DIN3126 / ISO1173

art.-no.	Ø	mm	drive 1/4"
27591	1	50	E6,3 DIN3126 / ISO1173
27592	2	50	E6,3 DIN3126 / ISO1173
27593	3	50	E6,3 DIN3126 / ISO1173



Modul



art.-no.	Ø	mm	drive 1/4"
26461	PH 1 / MODUL	70	E6,3 DIN 3126 / ISO 1173
26462	PH 2 / MODUL	70	E6,3 DIN 3126 / ISO 1173

art.-no.	Ø	mm	drive 1/4"
26471	PZ 1 / MODUL	70	E6,3 DIN 3126 / ISO 1173
26472	PZ 2 / MODUL	70	E6,3 DIN 3126 / ISO 1173

TORQ-SET



art.-no.			drive 1/4"	
27330	TS 0	25	C6,3 DIN3126 / ISO1173	
27331	TS 1	25	C6,3 DIN3126 / ISO1173	
27332	TS 2	25	C6,3 DIN3126 / ISO1173	
27333	TS 3	25	C6,3 DIN3126 / ISO1173	
27334	TS 4	25	C6,3 DIN3126 / ISO1173	
27335	TS 5	25	C6,3 DIN3126 / ISO1173	
27336	TS 6	25	C6,3 DIN3126 / ISO1173	
27337	TS 8	25	C6,3 DIN3126 / ISO1173	
27338	TS 10	25	C6,3 DIN3126 / ISO1173	
27339	TS 1/4"	32	C6,3 DIN3126 / ISO1173	

art.-no.			drive 5/16"	
27394	TS 8	32	C8 DIN3126	
27395	TS 10	32	C8 DIN3126	
27396	TS 1/4"	32	C8 DIN3126	
27397	TS 5/16"	32	C8 DIN3126	
27398	TS 3/8"	32	C8 DIN3126	

TRI-WING



art.-no.			drive 1/4"	
27480	TW 0	25	C6,3 DIN3126 / ISO1173	
27481	TW 1	25	C6,3 DIN3126 / ISO1173	
27482	TW 2	25	C6,3 DIN3126 / ISO1173	
27483	TW 3	25	C6,3 DIN3126 / ISO1173	
27484	TW 4	25	C6,3 DIN3126 / ISO1173	
27485	TW 5	25	C6,3 DIN3126 / ISO1173	

art.-no.			drive 1/4"	
26298	1/4"	25	C6,3 DIN3126 / ISO1173	
26398	1/4"	50	C6,3 DIN3126 / ISO1173	

Double Ended Bits



art.-no.				drive 1/4"	
29010	PH 1	PZ 1	60	6,3 mm	
29011	PH 2	PZ 2	60	6,3 mm	
29012	PH 3	PZ 3	60	6,3 mm	

art.-no.				drive 1/4"	
29001	PH 1	0,6 x 4,5	60	6,3 mm	
29002	PH 2	0,8 x 5,5	60	6,3 mm	
29003	PH 3	1,0 x 6,0	60	6,3 mm	



art.-no.				drive 1/4"	
29004	PZ 1	0,6 x 4,5	60	6,3 mm	
29005	PZ 2	0,8 x 5,5	60	6,3 mm	
29006	PZ 3	1,0 x 6,0	60	6,3 mm	

art.-no.				drive 1/4"	
29007	0,5 x 3,0	0,6 x 4,5	60	6,3 mm	
29008	0,8 x 5,5	1,0 x 6,0	60	6,3 mm	
29009	1,2 x 6,5	1,6 x 8,0	60	6,3 mm	



art.-no.				drive 1/4"	
29016	T 10	T 15	60	6,3 mm	
29017	T 20	T 25	60	6,3 mm	
29018	T 30	T 40	60	6,3 mm	

Bit Holder for power tools *magnetic*



art.-no.	Drive	mm
26006	1/4" E6,3 DIN3126 Universal without retaining	60



art.-no.	Drive	mm
26001	1/4" E6,3 DIN3126 Universal with retaining ring	75
26014		150
26024		200



art.-no.	Drive	mm
26294	1/4" E6,3 DIN3126 Universal with keyless chuck and retaining ring	60



art.-no.	Drive	mm
26002	5,5 A5,5 DIN3126 with retaining ring	79



art.-no.	Drive	mm
26003	7,0 mm G7 DIN3126 with retaining ring	77



art.-no.	Drive	mm
26004	5/16" with retaining ring	70



art.-no.	Drive	mm
26009	10,0 mm SDS plus with retaining ring	78



art.-no.	Drive	mm
26005	11,0 mm with retaining ring	82

The Professional Tool.

The BITDRIVE stands for fast and professional screw-driving. The handle has various qualities. The well known triangular handle with patented micro fibre surface which resists slipping even in oily and greasy hands. A retractable bit magazine in the handle contains 6 industrial quality bits. The extremely high mechanical

stability is characteristic for the BITDRIVE.

- BITDRIVE with ratchet right-hand/left-hand rotation and lock. The shaft is 60 mm in length with magnetic bit holder.
- BITDRIVE Has a shaft 125mm in length plus a magnetic bit holder.

retractable
Bit-magazine

large gripping
surfaced handle

anti-slip micro fibre surface


switchable ratchet

1/4" drive




BITDRIVE with ratchet

right-hand/left-hand rotation and lock,
Shaft is 60mm in length with magnetic holder, 3 bit assortments to choose from




Standard

art.-no. 26043	piece
⊕ PH 1	1
⊕ PH 2	1
⊕ PZ 1	1
⊕ PZ 2	1
⊕ 0,8 x 5,5	1
⊕ 1,2 x 6,5	1



BITFLEX TIN

art.-no. 26044	piece
⊕ PH 1 BITFLEX TIN	1
⊕ PH 2 BITFLEX TIN	2
⊕ PZ 1 BITFLEX TIN	1
⊕ PZ 2 BITFLEX TIN	2



Torx TR

art.-no. 26045	piece
⊕ T 10 TR	1
⊕ T 15 TR	1
⊕ T 20 TR	1
⊕ T 25 TR	1
⊕ T 30 TR	1
⊕ T 40 TR	1

BITDRIVE

has a shaft 125mm in length plus magnetic holder,
3 bit assortments to choose from




Standard

art.-no. 26053	piece
⊕ PH 1	1
⊕ PH 2	1
⊕ PZ 1	1
⊕ PZ 2	1
⊕ 0,8 x 5,5	1
⊕ 1,2 x 6,5	1



BITFLEX TIN

art.-no. 26054	piece
⊕ PH 1 BITFLEX TIN	1
⊕ PH 2 BITFLEX TIN	2
⊕ PZ 1 BITFLEX TIN	1
⊕ PZ 2 BITFLEX TIN	2



Torx TR

art.-no. 26055	piece
⊕ T 10 TR	1
⊕ T 15 TR	1
⊕ T 20 TR	1
⊕ T 25 TR	1
⊕ T 30 TR	1
⊕ T 40 TR	1

Magazines



Standard

art.-no. 26073	piece
⊕ PH 1	1
⊕ PH 2	1
⊕ PZ 1	1
⊕ PZ 2	1
⊕ 0,8 x 5,5	1
⊕ 1,2 x 6,5	1



BITFLEX TIN

art.-no. 26074	piece
⊕ PH 1 BITFLEX TIN	1
⊕ PH 2 BITFLEX TIN	2
⊕ PZ 1 BITFLEX TIN	1
⊕ PZ 2 BITFLEX TIN	2



Torx TR

art.-no. 26075	piece
⊕ T 10 TR	1
⊕ T 15 TR	1
⊕ T 20 TR	1
⊕ T 25 TR	1
⊕ T 30 TR	1
⊕ T 40 TR	1



Magazines

easy-to-open plastic box

right-hand/left-hand rotation and lock,
Shaft is 60mm in length with magnetic holder and 3 bit assortments

art.-no. 26080

Display Stand, Holds 15 pcs., 350 mm wide, 250 mm deep, 415 mm high



BITDRIVE with ratchet

right-hand/left-hand rotation and lock,

art.-no.			piece
26070	BITDRIVE with ratchet	Standard	5
	BITDRIVE with ratchet	BITFLEX TIN	5
	BITDRIVE with ratchet	Torx TR	5



BITDRIVE

has a shaft 125mm in length plus magnetic holder,

art.-no.			piece
26170	BITDRIVE	Standard	5
	BITDRIVE	BITFLEX TIN	5
	BITDRIVE	Torx TR	5

Carton display, 30 pcs. Carton display 270 mm wide, 310 mm deep, 370 mm high



BITDRIVE with ratchet

right-hand/left-hand rotation and lock,
Shaft is 60mm in length with magnetic holder,

art.-no.			piece
26060	BITDRIVE with ratchet	Standard	5
	BITDRIVE with ratchet	BITFLEX TIN	5
	BITDRIVE with ratchet	Torx TR	5
	Magazines	Standard	5
	Magazines	BITFLEX TIN	5
	Magazines	Torx TR	5



BITDRIVE

has a shaft 125mm in length plus magnetic holder,

art.-no.			piece
26160	BITDRIVE	Standard	5
	BITDRIVE	BITFLEX TIN	5
	BITDRIVE	Torx TR	5
	Magazines	Standard	5
	Magazines	BITFLEX TIN	5
	Magazines	Torx TR	5

The compact one.

These bit-boxes are very practical and extremely robust. The COMBIT-BOX 7 fits in every pocket. The COMBIT-BOX 17 shows impressively that an extensive assortment of bits can be stowed away safely in a compact bit-box.

- A clear assortment for the quick choice of the correctly required bit
 - The integral magnetic bit holder enables the box to be used as a manual screwdriver
- COMBIT-BOX 7 - with 6 bits and a magnetic holder, available in different compositions
 - COMBIT-BOX 17 - with 16 bits and a magnetic holder, available in various combinations



COMBIT-BOX® 7



Standard

art.-no. 27620

piece

26006	1
PH 1	1
PH 2	1
PZ 1	1
PZ 2	1
0,8 x 5,5	1
1,2 x 6,5	1



BITFLEX TIN

art.-no. 27708

piece

26006	1
PH 1 BITFLEX TIN	1
PH 2 BITFLEX TIN	2
PZ 1 BITFLEX TIN	1
PZ 2 BITFLEX TIN	2



Torx TR

art.-no. 27630

piece

26006	1
T 10 TR	1
T 15 TR	1
T 20 TR	1
T 25 TR	1
T 30 TR	1
T 40 TR	1



Hexagon Head

art.-no. 27648

piece

26006	1
2,0	1
2,5	1
3,0	1
4,0	1
5,0	1
6,0	1

COMBIT-BOX® 11



Standard

art.-no. 27771

piece

26006	1
PH 1 BITFLEX	1
PH 2 BITFLEX	2
PH 3 BITFLEX	1
PZ 1 BITFLEX	1
PZ 2 BITFLEX	3
PZ 3 BITFLEX	1
1,2 x 6,5	1
T 10 TR	1
T 15 TR	1
T 20 TR	1
T 25 TR	1
T 30 TR	1
T 40 TR	1



TIN

art.-no. 27772

piece

26006	1
PH 1 BITFLEX TIN	1
PH 2 BITFLEX TIN	2
PH 3 BITFLEX TIN	1
PZ 1 BITFLEX TIN	1
PZ 2 BITFLEX TIN	3
PZ 3 BITFLEX TIN	1
1,2 x 6,5 TIN	1
T 10 TR TIN	1
T 15 TR TIN	1
T 20 TR TIN	1
T 25 TR TIN	1
T 30 TR TIN	1
T 40 TR TIN	1

COMBIT-BOX® I

18 pieces of each in an attractive display

Standard

art.-no. 27623

		piece
26006		1
PH 1		1
PH 2		1
PZ 1		1
PZ 2		1
0,8 x 5,5		1
1,2 x 6,5		1



BITFLEX TIN

art.-no. 27624

		piece
26006		1
PH 1	BITFLEX TIN	1
PH 2	BITFLEX TIN	2
PZ 1	BITFLEX TIN	2
PZ 2	BITFLEX TIN	2



Torx TR

art.-no. 27625

		piece
26006		1
T 10 TR		1
T 15 TR		1
T 20 TR		1
T 25 TR		1
T 30 TR		1
T 40 TR		1



Hexagon Head

art.-no. 27626

		piece
26006		1
2,0		1
2,5		1
3,0		1
4,0		1
5,0		1
6,0		1



COMBIT-BOX® II

12 pieces of each in an attractive display



Standard

art.-no. 27751

		piece
26006		1
PH 1	BITFLEX	1
PH 2	BITFLEX	2
PH 3	BITFLEX	1
PZ 1	BITFLEX	1
PZ 2	BITFLEX	3
PZ 3	BITFLEX	1
1,2 x 6,5		1
T 10 TR		1
T 15 TR		1
T 20 TR		1
T 25 TR		1
T 30 TR		1
T 40 TR		1



TIN

art.-no. 27752

		piece
26006		1
PH 1	BITFLEX TIN	1
PH 2	BITFLEX TIN	2
PH 3	BITFLEX TIN	1
PZ 1	BITFLEX TIN	1
PZ 2	BITFLEX TIN	3
PZ 3	BITFLEX TIN	1
1,2 x 6,5	TIN	1
T 10 TR	TIN	1
T 15 TR	TIN	1
T 20 TR	TIN	1
T 25 TR	TIN	1
T 30 TR	TIN	1
T 40 TR	TIN	1

The varied one.

The transparent, clearly arranged storage magazine containing high quality bits has been developed for ease of use especially for professionals and demanding DIY users. Its rounded compact design enables easy storage and for carrying in work wear and clothing. By way of the

functional geometric design, when combined with the integral magnetic bit holder, the WITTE PROBIT-BOX becomes a quick and easy to use manual screwdriver.

- PROBIT-BOX 11 - with 10 bits and a magnetic holder, available in different assortments
- PROBIT-BOX 21 - with 20 bits and a magnetic holder, available in different assortments



PROBIT-BOX® 11



art.-no. 27791		piece
	26006	1
 PH 1	BITFLEX TIN	1
 PH 2	BITFLEX TIN	3
 PH 3	BITFLEX TIN	1
 PZ 1	BITFLEX TIN	1
 PZ 2	BITFLEX TIN	3
 PZ 3	BITFLEX TIN	1



art.-no. 27792		piece
	26006	1
	PH 1	1
	PH 2	3
	PH 3	1
	PZ 1	1
	PZ 2	3
	PZ 3	1



art.-no. 27793		piece
	26006	1
	PH 1	1
	PH 2	1
	PZ 1	1
	PZ 2	1
	T 10	1
	T 15	1
	T 20	1
	T 25	1
	T 30	1
	T 40	1



art.-no. 27794		piece
	26006	1
 PH 1	BITFLEX	1
 PH 2	BITFLEX	2
 PH 3	BITFLEX	1
 PZ 1	BITFLEX	1
 PZ 2	BITFLEX	2
 PZ 3	BITFLEX	1
	0,8 x 5,5	1
	1,2 x 6,5	1

PROBIT-BOX® E1



art.-no. 27795		piece
	26006	1
	PH 1 BITFLEX TIN	2
	PH 2 BITFLEX TIN	3
	PH 3 BITFLEX TIN	2
	PZ 1 BITFLEX TIN	2
	PZ 2 BITFLEX TIN	3
	PZ 3 BITFLEX TIN	2
	T 10 TR TIN	1
	T 15 TR TIN	1
	T 20 TR TIN	1
	T 25 TR TIN	1
	T 30 TR TIN	1
	T 40 TR TIN	1



art.-no. 27796		piece
 	26006	1
 PH 1		2
 PH 2		5
 PH 3		2
 PZ 1		2
 PZ 2		5
 PZ 3		2
 0,8 x 5,5		1
 1,2 x 6,5		1



art.-no. 27797		piece
	26006	1
	PH 1	2
	PH 2	3
	PH 3	1
	PZ 1	2
	PZ 2	3
	PZ 3	1
	0,8 x 5,5	1
	1,2 x 6,5	1
	T 10	1
	T 15	1
	T 20	1
	T 25	1
	T 30	1
	T 40	1



art.-no. 27798		piece
	26006	1
	PH 1 BITFLEX	2
	PH 2 BITFLEX	3
	PH 3 BITFLEX	2
	PZ 1 BITFLEX	2
	PZ 2 BITFLEX	3
	PZ 3 BITFLEX	2
	T 10 TR	1
	T 15 TR	1
	T 20 TR	1
	T 25 TR	1
	T 30 TR	1
	T 40 TR	1

PROBIT-BOX® 11

12 pieces of each in an attractive display carton.

art.-no. 27781

		piece
26006		1
PH 1	BITFLEX TIN	1
PH 2	BITFLEX TIN	3
PH 3	BITFLEX TIN	1
PZ 1	BITFLEX TIN	1
PZ 2	BITFLEX TIN	3
PZ 3	BITFLEX TIN	1



art.-no. 27782

		piece
26006		1
PH 1		1
PH 2		3
PH 3		1
PZ 1		1
PZ 2		3
PZ 3		1



art.-no. 27783

		piece
26006		1
PH 1		1
PH 2		1
PZ 1		1
PZ 2		1
T 10		1
T 15		1
T 20		1
T 25		1
T 30		1
T 40		1



art.-no. 27784

		piece
26006		1
PH 1	BITFLEX	1
PH 2	BITFLEX	2
PH 3	BITFLEX	1
PZ 1	BITFLEX	1
PZ 2	BITFLEX	2
PZ 3	BITFLEX	1
0,8 x 5,5		1
1,2 x 6,5		1



PROBIT-BOX® E1

12 pieces of each in an attractive display carton.

art.-no. 27785

		piece
26006		1
PH 1	BITFLEX TIN	2
PH 2	BITFLEX TIN	3
PH 3	BITFLEX TIN	2
PZ 1	BITFLEX TIN	2
PZ 2	BITFLEX TIN	3
PZ 3	BITFLEX TIN	2
T 10 TR	TIN	1
T 15 TR	TIN	1
T 20 TR	TIN	1
T 25 TR	TIN	1
T 30 TR	TIN	1
T 40 TR	TIN	1

art.-no. 27786

		piece
26006		1
PH 1		2
PH 2		5
PH 3		2
PZ 1		2
PZ 2		5
PZ 3		2
0,8 x 5,5		1
1,2 x 6,5		1

art.-no. 27787

		piece
26006		1
PH 1		2
PH 2		3
PH 3		1
PZ 1		2
PZ 2		3
PZ 3		1
0,8 x 5,5		1
1,2 x 6,5		1
T 10		1
T 15		1
T 20		1
T 25		1
T 30		1
T 40		1

art.-no. 27788

		piece
26006		1
PH 1	BITFLEX	2
PH 2	BITFLEX	3
PH 3	BITFLEX	2
PZ 1	BITFLEX	2
PZ 2	BITFLEX	3
PZ 3	BITFLEX	2
T 10 TR		1
T 15 TR		1
T 20 TR		1
T 25 TR		1
T 30 TR		1
T 40 TR		1

BITCAS

30 bits with holder in a sturdy, metallic-coloured steel cassette. Available with the assortments shown below. 6 cassettes in a display carton.

BITFLEX TIN

art.-no. 27953

		piece
	26006	10
	PZ 1 BITFLEX TIN	15
	PZ 2 BITFLEX TIN	5
	PZ 3 BITFLEX TIN	1

BITFLEX TIN

art.-no. 27954

		piece
	26006	1
	PH 1 BITFLEX TIN	4
	PH 2 BITFLEX TIN	5
	PH 3 BITFLEX TIN	3
	PZ 1 BITFLEX TIN	5
	PZ 2 BITFLEX TIN	10
	PZ 3 BITFLEX TIN	3

Mixed assortment

art.-no. 27952

		piece
	26006	1
	PH 2	5
	PZ 1	3
	PZ 2	5
	PZ 3	3
	T 10 TR	3
	T 15 TR	3
	T 20 TR	3
	T 25 TR	5



= 6 cassettes



Standard

art.-no. 27950

		piece
	26006	1
	PZ 1	10
	PZ 2	15
	PZ 3	5


Torx TR

art.-no. 27951

		piece
	26006	1
	T 10 TR	5
	T 15 TR	5
	T 20 TR	7
	T 25 TR	8
	T 30 TR	5



Blister carded programme of bits and holders



art.-no.	piece		art.-no.	piece	
26795	1	⊕ PH 1 BITFLEX TIN	26781	2	⊕ PZ 1 & PZ 2
26796	1	⊕ PH 2 BITFLEX TIN	26725	2	⊕ 0,6 x 4,5
26797	1	⊕ PH 3 BITFLEX TIN	26726	2	⊕ 0,8 x 5,5
26771	2	⊕ PH 1 BITFLEX	26728	2	⊕ 1,2 x 6,5
26772	2	⊕ PH 2 BITFLEX	26729	1	⊕ 1,6 x 8,0
26773	2	⊕ PH 3 BITFLEX	26730	1	⊕ 1,6 x 9,0
26774	2	⊕ PH 1 & PH 2 BITFLEX	26742	2	⊕ 0,6 x 4,5 & 0,8 x 5,5
26720	2	⊕ PH 1	26743	2	⊕ 0,8 x 5,5 & 1,2 x 6,5
26721	2	⊕ PH 2	26805	2	⊕ T 5
26722	2	⊕ PH 3	26806	2	⊕ T 6
26723	1	⊕ PH 4	26807	2	⊕ T 7
26780	2	⊕ PH 1 & PH 2	26808	2	⊕ T 8
26825	1	⊕ PZ 1 BITFLEX TIN	26809	2	⊕ T 9
26826	1	⊕ PZ 2 BITFLEX TIN	26810	2	⊕ T 10
26827	1	⊕ PZ 3 BITFLEX TIN	26811	2	⊕ T 15
26801	2	⊕ PZ 1 BITFLEX	26812	2	⊕ T 20
26802	2	⊕ PZ 2 BITFLEX	26813	2	⊕ T 25
26803	2	⊕ PZ 3 BITFLEX	26817	2	⊕ T 27
26804	2	⊕ PZ 1 & PZ 2 BITFLEX	26814	2	⊕ T 30
26716	2	⊕ PZ 1	26815	2	⊕ T 40
26717	2	⊕ PZ 2	26703	1	⊕ 26006
26718	2	⊕ PZ 3	26704	1	⊕ 26294
26719	1	⊕ PZ 4			

Blister carded programme of bits and holders

art.-no.	piece	
26713		
1		26006
1		PH 1
1		PH 2
1		PZ 1
1		PZ 2
1		0,5 x 4,0
1		0,8 x 5,5
1		1,2 x 6,5

art.-no.	piece	
26733		
1	double ended	PH 1 PZ 1
1	double ended	PH 2 PZ 2
1	double ended	PH 3 PZ 3

art.-no.	piece	
26732		
1	double ended	PH 1 0,6 x 4,5
1	double ended	PH 2 0,8 x 5,5
1	double ended	PH 3 1,0 x 6,0

art.-no.	piece	
26731		
1	double ended	PZ 1 0,6 x 4,5
1	double ended	PZ 2 0,8 x 5,5
1	double ended	PZ 3 1,0 x 6,0

art.-no.	piece	
26745		
1	double ended	T 10 T 15
1	double ended	T 20 T 25
1	double ended	T 30 T 40

Display Stand for blister carded program
500 mm wide, 180 mm deep

Header with Supplementary display 9 hooks
art.-no. 26756

Supplementary display 9 hooks
art.-no. 26757

Supplementary display 4 hooks
art.-no. 27740



Bits and holder programme on tear-off card

10 bits on tear-off card

The tear-off card system offers the professional user a tidy, easily identifiable way of keeping bits in the tool bag. The display gives a clear presentation of the bit programme.



Display Stand for tear-off card program

500 mm wide, 180 mm deep
exemplary assortment

Header with Supplementary
display 7 hooks

art.-no. 318000

Supplementary display 7 hooks

art.-no. 318010



drive 1/4" 25 mm

drive 1/4" E6,3 DIN3126 50 mm

art.-no.	piece			
328421	10	+	PH 1	BITFLEX TIN
328422	10	+	PH 2	BITFLEX TIN
328423	10	+	PH 3	BITFLEX TIN
328021	10	+	PH 1	BITFLEX
328022	10	+	PH 2	BITFLEX
328023	10	+	PH 3	BITFLEX
327020	10	+	PH 1	
327021	10	+	PH 2	
327022	10	+	PH 3	
328445	10	+	PZ 1	BITFLEX TIN
328446	10	+	PZ 2	BITFLEX TIN
328447	10	+	PZ 3	BITFLEX TIN
328045	10	+	PZ 1	BITFLEX
328046	10	+	PZ 2	BITFLEX
328047	10	+	PZ 3	BITFLEX
327045	10	+	PZ 1	
327046	10	+	PZ 2	
327047	10	+	PZ 3	
326411	10	+	0,6 x 4,5	
326412	10	+	0,8 x 5,5	
326414	10	+	1,2 x 6,5	
329460	10	+	T 5	
329490	10	+	T 6	
329495	10	+	T 7	
329501	10	+	T 8	
329502	10	+	T 9	
329503	10	+	T 10	
329504	10	+	T 15	
329505	10	+	T 20	
329506	10	+	T 25	
329507	10	+	T 27	
329508	10	+	T 30	
329509	10	+	T 40	

art.-no.	piece			
327551	10	+	PH 1	TIN
327552	10	+	PH 2	TIN
327553	10	+	PH 3	TIN
327520	10	+	PH 1	
327521	10	+	PH 2	
327522	10	+	PH 3	
327541	10	+	PZ 1	TIN
327542	10	+	PZ 2	TIN
327543	10	+	PZ 3	TIN
327545	10	+	PZ 1	
327546	10	+	PZ 2	
327547	10	+	PZ 3	
329603	10	+	T 10	
329604	10	+	T 15	
329605	10	+	T 20	
329606	10	+	T 25	
329607	10	+	T 27	
329608	10	+	T 30	
329609	10	+	T 40	
326006	2	+		26006



Bits and holder programme on tear-off card



drive 1/4" 25 mm

art.-no.	piece		
428421	15	+	PH 1 BITFLEX TIN
428422	15	+	PH 2 BITFLEX TIN
428423	10	+	PH 3 BITFLEX TIN
428021	25	+	PH 1 BITFLEX
428022	25	+	PH 2 BITFLEX
428023	15	+	PH 3 BITFLEX
427020	25	+	PH 1
427021	25	+	PH 2
427022	15	+	PH 3
428445	15	+	PZ 1 BITFLEX TIN
428446	15	+	PZ 2 BITFLEX TIN
428447	10	+	PZ 3 BITFLEX TIN
428045	25	+	PZ 1 BITFLEX
428046	25	+	PZ 2 BITFLEX
428047	15	+	PZ 3 BITFLEX
427045	25	+	PZ 1
427046	25	+	PZ 2
427047	15	+	PZ 3
426411	25	+	0,6 x 4,5
426412	25	+	0,8 x 5,5
426414	25	+	1,2 x 6,5
429460	5	+	T 5
429490	5	+	T 6
429495	5	+	T 7
429501	5	+	T 8
429502	5	+	T 9
429503	5	+	T 10
429504	5	+	T 15
429505	5	+	T 20
429506	5	+	T 25
429507	5	+	T 27
429508	5	+	T 30
429509	5	+	T 40

drive 1/4" E6,3 DIN3126 50 mm

art.-no.	piece		
427551	5	+	PH 1 TIN
427552	5	+	PH 2 TIN
427553	5	+	PH 3 TIN
427520	10	+	PH 1
427521	10	+	PH 2
427522	10	+	PH 3
427541	5	+	PZ 1 TIN
427542	5	+	PZ 2 TIN
427543	5	+	PZ 3 TIN
427545	10	+	PZ 1
427546	10	+	PZ 2
427547	10	+	PZ 3
427511	10	+	0,6 x 4,5
427512	10	+	0,8 x 5,5
427514	10	+	1,2 x 6,5
429603	5	+	T 10
429604	5	+	T 15
429605	5	+	T 20
429606	5	+	T 25
429607	5	+	T 27
429608	5	+	T 30
429609	5	+	T 40
426006	1	+	26006

display stand for plastic boxes

500 mm wide, 180 mm deep
exemplary assortment

Header with Supplementary display 9
hooks


art.-no. 26756

Supplementary display 9

art.-no. 26757



Tool selector


Selector of WITTE slot-screwdrivers for		full diameter of thread													
slotted screws 		flat head screws 			oval head screws 			fillister head 	pan head screws 		semi-circular 	set screws 			
		metric ISO	sheet ISO	wood DIN	metric ISO	sheet ISO	wood DIN	metric ISO	ISO	DIN	DIN	sheet ISO	wood DIN	DIN EN 24766 27435	DIN
DIN 5264		2009	1482	97	2010	1483	95	1207	1580	920	921	1481	96	DIN EN 24766 27435	427
0,4 x 2				1,6			1,6						1,6	3	2,5
0,4 x 2,5		1,6		2	1,6			1,6	1,6	2,5	1,6			3,5	3
0,5 x 3		2	2,2		2	2,2	2	2	2	3		2,2	2		3,5
0,5 x 4*)										3,5	2			4	
0,6 x 3,5		2,5		2,5	2,5		2,5	2,5					2,5		4
0,6 x 4,5*)									2,5	4	2,5			5	
0,8 x 4		3	2,9	3 3,5	3	2,9	3 3,5	3	3			2,9	3	6	5
0,8 x 5,5*)										5	3 3,5		3,5		
1 x 5,5		3,5	3,5	4 4,5	3,5	3,5	4 4,5	3,5	3,5	6	4	3,5	4 4,5	8	6
1,2 x 6,5		4 5	4,2 4,8	5 5,5	4 5	4,2 4,8	5	4	4			4,2			8
1,2 x 8							5,5	5	5	8	5	4,8	5 5,5		
1,6 x 8		6	5,5 6,3	6 7	6	5,5 6,3	6 7	6					6	10 12	10
1,6 x 10				8			8		6	10	6	5,5 6,3	7		12
2 x 12		8	8	10	8	8		8	8		8	8	8		14
2,5 x 14		10	9,5		10	9,5		10	10		10	9,5			16 18 20

only for machine-screwdrivers


Selector of WITTE screwdrivers for recessed screws for Phillips-Recess		metric			sheet metal screws			wood screws			Selector of WITTE screwdrivers for recessed screws for Supadriv/POZIDRIV		metric			sheet metal screws			wood screws		
ISO 8764		DIN 965	DIN 966	DIN 7985	DIN 7981	DIN 7982	DIN 7995	DIN 7996	DIN 7997		ISO 8764		DIN 965	DIN 966	DIN 7985	DIN 7981	DIN 7982	DIN 7995	DIN 7996	DIN 7997	
size 0		1,6	1,6	1,6	2,2	2,2		2			size 0		1,6	1,6	1,6	2,2	2,2		2		
		2	2	1,8									2	2	1,8						
size 1		2,5	2,5	2	2,9	2,9	2,5	2,5	2,5		size 1		2,5	2,5	2	2,9	2,9	2,5	2,5	2,5	
		3	3	2,5			3	3	3				3	3	2,5			3	3	3	
size 2		3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5		size 2		3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	
		4	4	4	4,2	4,2	4	4	4				4	4	4	4,2	4,2	4	4	4	
		5	5	5	4,8	4,8	4,5	4,5	4,5				5	5	5			5	5	5	
							5	5	5				6	6	6	5,5	5,5	5,5	5,5	5,5	
																6,3	6,3				
size 3		6	6	6	5,5	5,5	5,5	5,5	5,5		size 3							6	6	6	
					6,3	6,3	6	6	6									7	7	7	
size 4		8	8	8	8	8	8	8	8		size 4		8	8	8	8	8	8	8	8	
		10	10	10	9,5	9,5							10	10	10	9,5	9,5				


Torx is the registered trademark of Camcar/Texton Inc. Rockford / Illinois USA. WITTE is an authorized licensee for Torx-tools.

Tool selector

 Selector of WITTE screwdrivers for screws with Hexagon head								 Selector of WITTE screwdrivers for screws with Hexagon insert				
metric screws 								metric screws 				
set screws 								sheet metal 				
wood screws 												
SW	DIN 908	*DIN 912	DIN 7984	DIN 7991	*DIN 913 916	*DIN 914	*DIN 915	SW	DIN 931	DIN 933	DIN 7976	DIN 571
1,5		1,6						3,5				
		2			3	3	3	4	2	2		
2		2,5	3	3	4	4	4	4,5				
2,5		3	4	4	5	5	5	5	2,5	2,5		2,9
3		4	5	5	6	6	6					
4		5	6	6	8	8	8	5,5	3	3		3,5
5	10	6	8	8	10	10	10	6	3,5	3,5		
6	12	8		10	12	12	12	7	4	4	4	3,9
	14				14	14	14					4,2
8	16/18	10	12	12	16	16	16	8	5	5	5	4,8
10	20/22	12	14	14	18	18	18					5,5
				16	20	20	20	9				
12	24	14	16	18	22	22	22	10	6	6	6	6,3
	26		18	20	24	24	24	11	7	7		
								12			7	
								13	8	8	8	8
								14				

Selector of WITTE screwdrivers for screws with			metric screws					sheet metal screws			
Torx											
	Torx-size		DIN 912	DIN 965	DIN 966	DIN 7984 6912	DIN 7985	DIN 7991	DIN 7981	DIN 7982	DIN 7983
	T 5	1,42	1,4/1,6	1,8		1,4/1,6	1,4/1,6	*	*	*	*
	T 6	1,70	1,3/2	2	*	1,3/2	1,3/2	*	*	*	*
	T 7	1,99	*	*	*	*	*	*	*	*	*
	T 8	2,31	2,5	2,5	2,5	2,5	2,5		2,9	2,9	2,9
	T 9	2,50							2,9		
	T 10	2,74	3	3	3	3	3	3	3,5	3,5	3,5
	T 15	3,27	3,5	3,5	3,5	3,5	3,5		3,9	3,9	3,9
	T 20	3,86		4	4		4	4	4,2	4,2	4,2
	T 25	4,43	4	5	5	4	5	5	4,8 5,5	4,8 5,5	4,8 5,5
	T 27	4,99	4,3/5	**	**	4,3/5	**	**	**	**	**
	T 30	5,52	6	6	6	6	6	6	6,3	6,3	6,3
	T 40	6,65	8	8	8	8	8	8	8		
	T 45	7,82	**	**	**	**	**	**	**	**	**
	T 50	8,83	10	10	10	10	10	10	10		
	T 55	11,22	12			12			12		
	T 60	13,25	14			14					

 Selector of WITTE screwdrivers for screws with Torx external			metric screws 	
Torx-size 			DIN 931	DIN 6921
E 4			3	
E 5			4	
E 6			5	4
E 7			**	**
E 8			6	5
E 10			8	6
E 12			10	8
E 14			12	10
E 16			**	**
E 18			14	12
			DIN 933 ISO 4014 4017	



KIRCHHOFF

AUTOMOTIVE

Kirchhoff Automotive GmbH & Co. KG
Stefanstraße 2
58638 Iserlohn
DEUTSCHLAND
Telefon: +49 2371 820-0
Telefax: +49 2371 820-222
e-mail: automotive@kirchhoff-gruppe.de

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Witte GmbH & Co. KG
Hegestück 40
58640 Iserlohn
DEUTSCHLAND
Telefon: +49 2371 211-0
Telefax: +49 2371 211-212
e-mail: iserlohn@kirchhoff-gruppe.de

WITTE

WERKZEUGE

Kirchhoff Witte GmbH & Co. KG
Feldmühlenstraße 51
58093 Hagen
DEUTSCHLAND
Telefon: +49 2331 3607-0
Telefax: +49 2331 3607-24
e-mail: info@witte-werkzeuge.de

FAUN

KIRCHHOFF GRUPPE

Faun Umwelttechnik GmbH & Co.
Stefanstraße 2
58638 Iserlohn
DEUTSCHLAND
Telefon: +49 2371 8293-00
Telefax: +49 2371 8293-09
e-mail: faun@faun.com

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Kutsch GmbH
Am Eckenbach 10-14
57439 Attendorn
DEUTSCHLAND
Telefon: +49 2722 696-0
Telefax: +49 2722 696-219
e-mail: attendorn@kirchhoff-gruppe.de

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Kutsch GmbH
Werk Günthersleben
Ebsdorfergrundstraße 4
99869 Günthersleben
DEUTSCHLAND
Telefon: +49 36256 86832
Telefax: +49 36256 86833
e-mail: w.buege@kirchhoff-gruppe.de

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Kutsch GmbH
Werk Saarlouis
Werner-von-Siemens-Str. 35
66793 Saarwellingen
DEUTSCHLAND
Telefon: +49 6838 9811-105
Telefax: +49 6838 9811-205
e-mail: saarlouis@kirchhoff-gruppe.de

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Ireland Ltd.
Lisnennan
Letterkenny Co. Donegal
IRELAND
Telefon: +353 74 9122422
Telefax: +353 74 9124932
e-mail: mail@kirchhoff.ie

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Polska Sp. z o.o.
ul. Wojska Polskiego 3
39-300 Mielec
POLEN
Telefon: +48 17 7885600
Telefax: +48 17 7885640
e-mail: kirchhoff@ptc.pl

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Hungaria Kft.
H - 1074 Budapest
Rakoczi ut 70 -72
UNGARN

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Portugal - Gametal S.A.
Faria de Cima
3721-908 Cucujães
PORTUGAL
Telefon: +351 256 886100
Telefax: +351 256 886136
e-mail: gametal@gametal.pt

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Portugal - Gametal S.A.
Av. 16 de Maio
Zona Industrial - Norte de Ovar
3880 Ovar
PORTUGAL
Telefon: +351 256 579210
Telefax: +351 256 579224
e-mail: gametal@gametal.pt

KIRCHHOFF

AUTOMOTIVE

Kirchhoff Mexicana S.A. de C.V.
Camino a San Lorenzo 1202 C
Sanctorum, Cuautlancingo
72730 Cholula/Puebla
MEXIKO
Telefon: +52 222 2664493
Telefax: +52 222 2664491
e-mail: plantapue@kirchhoff.com.mx

KIRCHHOFF

AUTOMOTIVE

VRK AUTOMOTIVE SYSTEMS DE MEXICO, S.A. DE C.V.
Av. de la Noria No. 111
Parque Industrial Querétaro
76220 Santa Rosa Jáuregui/Querétaro
MEXIKO
Telefon: +52 442 2113900
Telefax: +52 442 2161380

KIRCHHOFF

AUTOMOTIVE

Kirchhoff do Brasil, Ltda.
Rua Dr. Armando F.S. Caiuby
250 - Apto. 141-b
05640-020 São Paulo, SP
BRASIL
Telefon: +55 11 92253537
Telefax: +55 11 2462774
e-mail: kirchhoffbrasil@aol.com

KIRCHHOFF

AUTOMOTIVE

Kirchhoff España, S.L.U.
Ctra. Zaragoza a Logroño, Km 28
Poligono Industrial N° 6
50639 Figueruelas (Zaragoza)
SPANIEN
Telefon: +34 976 655330
Telefax: +34 976 655014
e-mail: kirchhoff@cepymearagon.es