Instructions for update installation of ElsaWin 5.20

Contents

1. Requirements	3
2. Updating to version 5.20	4
3. Client update	15

1. Requirements

ElsaWin 5.10 must be installed.

In addition, the following programs must be installed on the server before ElsaWin can be updated to version 5.20:

- 1. Microsoft Installer MSI 4.5 (or higher)
- 2. Microsoft .Net 3.5 SP1 (or higher)
 - + Microsoft .Net 2.0 SP1/SP2
- 3. Microsoft Power Shell 1.0 (or higher)

Microsoft .Net 2.0 SP1 / SP2 must also be installed on the server. This version is automatically installed with Microsoft .Net 3.5. Please note that .Net 2.0 is no longer automatically installed with .Net 4.0 and later versions.

Note: Please ensure that all clients are logged off the server during the installations.

Only the system administrator can perform the installation. Before starting the installation, log on to your ElsaWin server (standalone devices, e.g. VAS diagnostic tester) with your administrator authorisation.

Please close all applications (server and connected clients) and restart the server.

When installing the program on Windows 7 or Windows Server 2008 R2 operating systems, the option "Run as administrator" must be activated when starting the installation program.

Please observe the supplementary instructions "Installing Adobe SVG plugin with Windows 7" if you are using Internet Explorer 8. If you are using Internet Explorer 9 or a later version, it is no longer necessary to install the Adobe SVG plugin.

The update can take significantly longer if any anti-virus software is active.

2. Updating to version 5.20

Please log on to the server with your administrator authorisation. Insert the "ElsaWin disk1_upd" disc into the CD drive and perform the following steps: Open the Windows Explorer. Select your CD drive in the Explorer tree on the left side. In the right window of the Explorer, double click on Elsa_52_Upd_Setup.exe to start the program.

When installing the program on Windows 7 or Windows Server 2008 R2 operating systems, the option "Run as administrator" must be activated when starting the installation program.

Open the Windows Explorer.

Select "R:\Elsa_52_Upd_Setup.exe". Right click on "Run as administrator".



Note:

An installation in silent mode can be started with the command prompt option /S. The options /s, -S, and -s. are also possible.

When all software requirements for the ElsaWin installation have been met, the following dialog box will appear:



😌 ElsaWin Installation	
Auswahl Welches der Infomittel wollen Sie installieren? Wollen Sie den BB-Gate Dienst installieren?	
Apos Nur Arbeitspositionen (Apos) Arbeitspositionen (Apos) und Paket Auskunft Service System (PASS) Arbeitspositionen (APOS), Paket Auskunft Service System (PASS) mit Reduktionssvstem 	Select the desired reference medium.
 Apos/2 AposPro Nullsoft Install System v2.46 BB-Gate BB-Gate installieren BB-Gate Installationsverzeichnis auswählen: D:\srv_apps\bbgate Durchsuchen	Choose whether or not the BB gate service should be installed Choose the folder in which BB gate should be installed
DMS-Backbone IP-Adresse/DNS-Alias und Portnummer des DMSBackbone: Ipnbb:81 SQL Server SQL Server Installationsverzeichnis auswählen:	The IP address (DNS alias) and port number of the DMS backbone will be displayed. Please ask support before changing this value.
C:\Program Files\Microsoft SQL Server C:\Program Files\Microsoft SQL Server	If necessary, change the default installation folder for the Microsoft SQL Server instance.
	Then click on " Next ".

🕞 ElsaWin Installation		_ 🗆 🗙	
Sprachauswahl Wählen Sie die zu installierenden Sprachen			
Bulgarisch Chinesisch Singapore Chinesisch Taiwan Dänisch Englisch Englisch Englisch US Estnisch Französisch Griechisch Indonesisch			
	< Zurück Weiter >	brechen	Click on "Next".

😌 ElsaWin Installation	
Zielverzeichnis auswählen Wählen Sie das Verzeichnis aus, in das ElsaWin installiert werden soll.	
ElsaWin wird in das unten angegebene Verzeichnis installiert. Falls Sie in ein anderes Verzeichnis installieren möchten, klicken Sie auf Durchsuchen und wählen Sie ein anderes Verzeichnis aus. Klicken Sie auf Weiter, um fortzufahren.	
Zielverzeichnis Durchsuchen Benötigter Speicher: 0.0KB Verfügbarer Speicher: 100.2GB Nullsoft Install System v2.46	The previous installation folder is used as the destination folder. Only change the destination folder after consultation with the support services
< <u>Z</u> urück Weiter > Abbrechen	Click on "Next".



niervomana starten		1.00		
ppiervorgang starten				
Zum Kopieren der Programmdateien sind Sie auf Zurück, wenn Sie die Einstellunge	genugend Informationen vorhande n überprüfen oder ändern möchter	n. Klicken		
Produkt:				
Produktname: ElsaWin Produktversion: ElsaWin 5.20				
7ielverzeichnis:				
Verzeichnis: C:\ElsaWin				
Programmordner: C:\Users\DV20SPN Bapätister Speicherplatz: 25709.KB	1\AppData\Roaming\Microsoft\Wind	ows\Start Me		
berougter openierplatz. 25709 Kb				
Setup Type:				
Server Installation				
User Information:				
Name:: K Firma:: S				
Seriennummer::				
oft Install System v2.46				
soft Install System v2.46				
soft Install System v2.46				
soft Install System v2.46 ————				
soft Install System v2.46				
soft Install System v2.46 ———				
soft Install System v2.46				
soft Install System v2.46 ———				
soft Install System v2.46 ———				
soft Install System v2.46				
soft Install System v2.46 ———			Click	c on " install "

If the ElsaWin program installation can be completed without restarting the ElsaWin server computer, the following window will appear:



If the ElsaWin program installation requires you to restart the ElsaWin server computer, the following window will appear:



If you restart the ElsaWin server computer later, you will have to log in again as administrator so that the ElsaWin setup program can configure the remaining settings after the restart.

If you have also installed the BB gate service, check whether the following service exists in the DMS Backbone.

Open the Internet Explorer and go to <u>http://lpnbb:81</u>. Call up the services from there. For DMSBB 4.x you will have to log in first.

ElsaWin Installation Instructions

() (a) (b) (b					_
Set [€] http://local	host:81/dmsbackbone/admin/temp	late/Services.vm;jsessionid=1tbyi49hsn(Live Search		
ei Bearbeiten Ansicht	Favoriten Extras ?				
🔅 🏉 DMS-Backbone				🚹 🔹 🔜 👻 🖶 Seite 🔹 🥥	Extras
OLKSWAGEN AG	Hilfe Zu diesem Thema Inhal	<u>t</u>			
Komponenten				Dienste	
DMS-					
EishlafoBox	Neuro	Alle Disease to star			
Mirror Server	Neuer Dienst	Alle Dienste testen			
XD-BB					,
Konfiguration	Dienst	Kommentar	Status	URLs	
Dienste	BusinessPartnerData	Vaudis-Kundendaten	active	bb/http http://DMSAPP:6700/bbvaudis/BusinessPartnerData	a.cgi
Warteschlangen Jobs	ClaimProcessing	Vaudis- Gewaehrleistungsabwicklung	active	bb/http http://DMSAPP:6700/bbvaudis/ClaimProcessing	j.cgi
Logging	CPIS-Inventory	Central HW/SW inventory	active	bb/http http://inv:8080/cpis/inventory.php	
HTTP-Trace	CustomerVehicleData	Vaudis-Kundenfahrzeuge	active	bb/http http://DMSAPP:6700/bbvaudis/CustomerVehicleData	a.cgi
	drops-service	DROPS-Service für Versionsinfo	active	bb/http http://inv:8080/cpis/drops-service.php	
Messaging				LL (LL	
Messaging Freischaltung	OrderService	ElsaWin-BBGate	active	bb/nttp nttp://Dt :6/09/BBGate.srv	

If the service "OrderService" is shown, you have completed the ElsaWin 5.20 update.

If the service "OrderService" is not listed in the DMS Backbone, you must create it as follows. Right click on Start and open the Explorer.



In My Computer > Appl (D): > srv_apps > bbgate, you will find the file "dmsbb_config_OrderService.cmd". Start it with a double-click.

After running the file successfully, please check again whether the service is listed in the DMS Backbone.

3. Client update

After completion of the server installation, the client update will automatically begin when a connected ElsaWin client program is started.

When installing the program on Windows 7 or Windows Server 2008 R2 operating systems, the installation program requires local administrator rights.







Your configuration will be shown once more in the following window.

piervorgang starten				
um Kopieren der Programm e auf Zurück, wenn Sie die	dateien sind genügend In Einstellungen überprüfen	formationen vorhanden. oder ändern möchten. V	Klicken /enn	_
Produkt:			*	
Produktname: ElsaWin Produktversion: ElsaWin	5 20			
Froductversion, elsevin	5.25			
Zielverzeichnis:				
Programmerdpart Cillia	Hiles (X86) (ElsaWin	aming Microcoft Window	alStart Ma	
Benötigter Speicherplatz	: 7437 KB	aning viid osof c (window	spartie	
Setup Type:				
Client Installation				
User Information:				
Name::				
Firma::		_		
Seriennummer::				
			-	
oft Install System v2.46 -				
			- 10	

The copying process will then be started.





The client update has been completed.